

#### PIZZA BAKE OVEN, DECK-TYPE, ELECTRIC Serv-Ware Model EPO-02

\$117.00 ea

Pizza Oven, electric, countertop, 2-1/2"H opening & 13-1/2" rack accommodates up to 12" diameter pizza or other food, lower & upper heating elements, thermostat pre-set at 450 degrees, 30 minute timer, removable crumb tray, stainless steel exterior, 1450 watts, 120v, 12 amps, cord, plug, ETL



\$117.00 ea

## .FAMILY-OWNED AND OPERATED. UPPER LAKES FOODS EST 1967

# IN STOCK Equipment Flyer

MICROWAVE OVEN General Model GEW 1000E

\$278.60 ea

Commercial Microwave Oven, 1.0 cu. ft. interior, digital touch pad control, LED display, 3stage cooking capability, power level to 10, light up dial timer, metal handle, interlock system, 1000 watts, ETL, cULus, CE



#### PIZZA PREPARATION REFRIGERATOR Blue Air FSE LLC Model BAPP93-HC

Pizza Prep Table, three-section, 93-1/4"W, 30.8 cu. ft. capacity, side-mounted self-contained refrigeration, (3) full self-closing doors, (6) adjustable wire shelves, accommodates (12) 1/3 size pans, insulated pan cover with stainless steel divider, 33°-39°F temperature range, 19"D cutting board, stainless steel interior & exterior, 4"H swivel casters (2 braked), R290 Hydrocarbon refrigerant, 3/8 HP, 115v/60/1-ph, 3.5 amps, cord, NEMA 5-15P, cUL, UL, ETL-Sanitation



\$7,554.26 ea

#### REFRIGERATED MERCHANDISER Blue Air FSE LLC Model BKGM23B-HC

Refrigerated Merchandiser, one-section, 23 Cu. Ft. capacity, bottom-mount self-contained refrigeration, (1) double pane hinged glass door (locking), (4) adjustable epoxy coated wire shelves, LED interior lighting, backlit graphic panel, digital monitoring system, black painted steel exterior and trim, white painted steel interior, (4) 2-1/2" casters (2 braked), R290 Hydrocarbon refrigerant, 1/7 HP, 115v/60/1-ph, 2.1 amps, cord, NEMA 5-15P, cETLus, ETL-Sanitation

\$2,622.05 ea



#### REFRIGERATED MERCHANDISER Blue Air FSE LLC Model BKGM48SLB-HC

Refrigerated Merchandiser, one-section, 44.85 Cu. Ft. capacity, bottom-mount self-contained refrigeration, (2) double pane sliding glass doors (locking), (8) adjustable epoxy coated wire shelves, LED interior lighting, backlit graphic panel, digital monitoring system, black painted steel exterior and trim, white painted steel interior, (4) 2-1/2" casters (2 braked), R290 Hydrocarbon refrigerant, 1/4 HP, 115v/60/1-ph, 4.2 amps, cord, NEMA 5-15P, cETLus, ETL-Sanitation

\$3,761.47 ea



REFRIGERATED MERCHANDISER Blue Air FSE LLC Model BKGM49B-HC

Refrigerated Merchandiser, two-section, 49 Cu. Ft. capacity, bottom-mount self-contained refrigeration, (2) double pane hinged glass doors (locking), (8) adjustable epoxy coated wire shelves, LED interior lighting, backlit graphic panel, digital monitoring system, black painted steel exterior and trim, white painted steel interior, (4) 2-1/2" casters (2 braked), R290 Hydrocarbon refrigerant, 1/7 HP, 115v/60/1-ph, 3.2 amps, cord, NEMA 5-15P, cETLus, ETL-Sanitation

\$3,960.96 ea



Tax is not included

\$4,794.00 ea

\$1,208.25 ea

Sandwich Prep Table, two-section, 60-3/8"W, 16.7 cu. ft. capacity, rear-mounted self-contained refrigeration, (16) 1/6 size pan capacity (included), (4) drawers, 9-1/2" cutting board, side rail cutting board bracket, 33° F to 33° F temperature range, insulated pan cover with stainless steel divider, self-diagnostic digital controls & monitor system, stainless steel interior, stainless steel exterior (galvanized steel back & bottom), (4) 4" swivel casters (2 braked), R290 Hydrocarbon refrigerant, 1/4 HP, 115v/60/1-ph, 5.0 amps, cord with NEMA 5-15P, CETLus, ETL-Sanitation



Maxx Ice Modular Ice Maker, cube-style (full dice), air-cooled, self-contained condenser, automatic cleaning, approximately 460 lb. production/24 hours, on/off switch, vertical evaporator, stainless steel exterior, R404a refrigerant, ETL-Sanitation, cULus Classified, CE, ENERGY STAR®



### ICE MAKER WITH BIN, CUBE-STYLE Maxximum Model MIM250

Maxx Ice Ice Maker With Bin, cube-style (full dice), air-cooled, self-contained condense, approximately 260 lb. production/24 hours, 75 lb. built-in storage capacity, slab cube ice type, polyethylene storage bin liner, stainless steel construction, R404a refrigerant, NSF, UL



## \$2,576.46 ea REFRIGERATED MERCHANDISER Atosa USA, Inc. Model MCF8724GR

Refrigerator Merchandiser, three-section, 81-9/10"W x 31-1/2"D x 81-1/5"H, bottommounted self-contained refrigeration, 69.5 cu. ft., (3) self-closing hinged glass doors with locks, Dixell electronic controller, 33° to 38°F temperature range, (12) shelves, LED interior lighting, lighted header panel, stainless steel interior, black steel exterior, 2" casters, R290 Hydrocarbon refrigerant, 1/4 HP, 115v/60/1-ph, 4.2 amps, cord, NEMA 5-15P, cETLus, ETL-Sanitation



#### CONVECTION OVEN, GAS Duke Manufacturing Model E101-G

Convection Oven, gas, singledeck, standard depth, thermostatic controls, with 26" high legs, stainless steel front, painted cabinet, NSF, CSA STAR, CSA FLAME, ENERGY STAR®





#### GAS FLOOR FRYER Atosa USA, Inc. Model ATFS-40

CookRite Fryer, gas, floor model, 15-3/5"W x 30-1/10"D x 44-2/5"H, 40 lb. capacity, (3) burners, milivolt control, 200°F-400°F temperature range, , (2) nickel plated baskets with coated handles, basket hanger, oil cooling zone seated in the bottom of the tank, stainless steel structure, (4) casters, cETLus, ETL-Sanitation



#### REACH-IN REFRIGERATOR Blue Air FSE LLC Model BSR23-HC


Refrigerator, reach-in, one-section, 23 cu. ft. capacity, bottom-mount self-contained refrigeration, (1)locking solid door, door open alarm, (4) adjustable wire shelves, digital controls, LED interior lighting, stainless steel interior & exterior, 4" swivel casters (2 braked), R290 Hydrocarbon refrigerant, 1/4 HP, 115v/60/1-ph, 2.0 amps, cord with NEMA 5-15P, cETLus, ETL-Sanitation, ENERGY STAR®





#### REACH-IN REFRIGERATOR Blue Air FSE LLC Model BSR49-HC

Refrigerator, reach-in, two-section, 49 cu. ft. capacity, bottom-mount self-contained refrigeration, (2) full-size self-closing solid doors (locking), metal door handles, door open alarm, (8) adjustable wire shelves, digital controls, LED interior lighting, stainless steel interior & exterior, 4" swivel casters (2 braked), R290 Hydrocarbon refrigerant, 1/4 HP, 115v/60/1-ph, 2.4 amps, cord with NEMA 5-15P, cETLus, ETL-Sanitation, ENERGY STAR®





Tax is not included

Freezer, reach-in, one-section, 23 cu. ft. capacity, bottom-mount self-contained refrigeration, (1) full-size solid self-closing door, metal door handle, (4) adjustable wire shelves, digital controls, LED interior lighting, stainless steel interior & exterior, 4" swivel casters (2 braked), R290 Hydrocarbon refrigerant, 1/2 HP, 115v/60/1-ph, 5.6 amps, cord with NEMA 5-15P, CETLus, ETL-Sanitation, ENERGY STAR®



Freezer, reach-in, two-section, 49 cu. ft. capacity, bottom-mount self-contained refrigeration, (2) full-size solid self-closing doors (locking), metal door handles, door open alarm, (8) adjustable wire shelves, digital controls, LED interior lighting, stainless steel interior & exterior, 4" swivel casters (2 braked), R290 Hydrocarbon refrigerant, 1/2 HP, 115v/60/1-ph, 6.6 amps, cord with NEMA 5-15P, CETLus, ETL-Sanitation, ENERGY STAR\*



#### PIZZA PREPARATION REFRIGERATOR Blue Air FSE LLC Model BAPP67-HC

\$5,143.91 ea

MEGA TOP SANDWICH / SALAD PREPARATION REFRIGERATOR
Blue Air FSE LLC
Model BLMT48-HC
\$3,348.71 ea

Pizza Prep Table, two-section, 67"W, 20.2 cu. ft. capacity, side-mounted self-contained refrigeration, (2) full doors, (4) adjustable wire shelves, accommodates (9) 1/3 size pans, insulated pan cover with stainless steel divider, 33°-39°F temperature range, 19"D cutting board, stainless steel interior & exterior, 4"H swivel casters (2 braked), R290 Hydrocarbon refrigerant, 3/8 HP, 115v/60/1-ph, 3.5 amps, cord, NEMA 5-15P, cUL, UL, ETL-Sanitation



Mega Top Sandwich Prep Table, two-section, 48-3/8"W, 13.1 cu. ft. capacity, rear-mounted self-contained refrigeration, (18) 1/6 size pan capacity (included), (2) self-closing swing doors, (2) adjustable wire shelves, 9-1/2" cutting board, side rail cutting board bracket, 33° F to 39° F temperature range, insulated pan cover with stainless steel divider, stainless steel interior & exterior, (4) 4" swivel casters (2 braked), R290 Hydrocarbon refrigerant, 1/4 HP, 115V/60/1-ph, 4.7 amps, cord with NEMA 5-15P, cETLus, ETL-Sanitation



## SANDWICH / SALAD PREPARATION REFRIGERATOR Blue Air FSE LLC Model BLPT28-HC \$2,

\$2,008.23 ea

SANDWICH / SALAD PREPARATION REFRIGERATOR
Blue Air FSE LLC
Model BLPT36-HC
\$2,678.39 ea

Sandwich Prep Table, one-section, 27-1/2"W, 7.0 cu. ft. capacity, rear-mounted self-contained refrigeration, (6) 1/6 & (2) 1/9 size pan capacity (included), (1) self-closing swing door, (1) adjustable wire shelf, 9-1/2" cutting board, side rail cutting board bracket, 33° F to 39° F temperature range, insulated pan cover with stainless steel divider, digital controls, stainless steel interior & exterior, (4) 4" swivel casters (2 braked), R290 Hydrocarbon refrigerant, 1/4 HP, 115v/60/1-ph, 4.0 amps, cord with NEMA 5-15P, cETLus, ETL-Sanitation



Sandwich Prep Table, two-section, 36-3/8"W, 9.5 cu. ft. capacity, rear-mounted self-contained refrigeration, (10) 1/6 size pan capacity (included), (2) self-closing swing doors, (2) adjustable wire shelves, 9-1/2" cutting board, side rail cutting board bracket, 33° F to 39° F temperature range, insulated pan cover with stainless steel divider, digital controls, stainless steel interior & exterior, (4) 4" swivel casters (2 braked), R290 Hydrocarbon refrigerant, 1/4 HP, 115v/60/1-ph, 4.1 amps, cord with NEMA 5-15P, cETLus, ETL-Sanitation



## SANDWICH / SALAD PREPARATION REFRIGERATOR Blue Air FSE LLC Model BLPT48-HC \$

\$2,861.33 ea

SANDWICH / SALAD PREPARATION REFRIGERATOR
Blue Air FSE LLC
Model BLPT60-HC
\$3,294.11 ea

Sandwich Prep Table, two-section, 48-3/8"W, 13.1 cu. ft. capacity, rear-mounted self-contained refrigeration, (12) 1/6 size pan capacity (included), (2) self-closing swing doors, (2) adjustable wire shelves, 9-1/2" cutting board, side rail cutting board bracket, 33° F to 39° F temperature range, insulated pan cover with stainless steel divider, digital controls, stainless steel interior & exterior, (4) 4" swivel casters (2 braked), R290 Hydrocarbon refrigerant, 1/4 HP, 115v/60/1-ph, 4.5 amps, cord with NEMA 5-15P, CETLus, ETL-Sanitation



Sandwich Prep Table, two-section, 60-3/8"W, 16.7 cu. ft. capacity, rear-mounted self-contained refrigeration, (16) 1/6 size pan capacity (included), (2) self-closing swing doors, (2) adjustable wire shelves, 9-1/2" cutting board, side rail cutting board bracket, 33° F to 39° F temperature range, insulated pan cover with stainless steel divider, digital controls, stainless steel interior & exterior, (4) 4" swivel casters (2 braked), R290 Hydrocarbon refrigerant, 1/4 HP, 115v/60/1-ph, 4.7 amps, cord with NEMA 5-15P, cETLus, ETL-Sanitation



Tax is not included

#### ICE MAKER, CUBE-STYLE Koolaire Model KYT0700A

factory for availability)

Ice Kube Machine, cube style, air-cooled, self-contained condenser, 30" W, production capacity up to 740 lb/24 hours at 70°/50° (580 lb AHRI certified at 90°/70°), one-touch cleaning, water shield, smudge & fingerprint resistant, Alpha San antimicrobial protection, stainless like finish, half-dice size cubes, R410a refrigerant, NSF, cULus, CE, ENERGY STAR® (replaces KY-0600A) (contact

#### \$5,208.23 ea

## Model BLPT72-HC Sandwich Prep Table, three 20.2 cu. ft. capacity, rearm contained refrigeration, (18)

**Blue Air FSE LLC** 

Sandwich Prep Table, three-section, 72-3/8"W, 20.2 cu. ft. capacity, rear-mounted self-contained refrigeration, (18) 1/6 size pan capacity (included), (3) self-closing swing doors, (3) adjustable wire shelves, 9-1/2" cutting board, side rail cutting board bracket, 33° F to 39° F temperature range, insulated pan cover with stainless steel divider, digital

**SANDWICH / SALAD PREPARATION REFRIGERATOR** 

4" swivel casters (2 braked), R290 Hydrocarbon refrigerant, 1/4 HP, 115v/60/1ph, 5.3 amps, cord with NEMA 5-15P, cETLus, ETL-Sanitation

controls, stainless steel interior & exterior, (4)



\$3,852.72 ea

#### Tax is not included





To Order Contact:

Jim Sorensen - jimsorensen@ulfoods.com

Dave Strang dstrang@ulfoods.com

## FREE DELIVERY