



*• FAMILY-OWNED AND OPERATED •*  
**UPPER LAKES FOODS**  
 EST 1967

**IN STOCK**  
*Equipment Flyer*

**August Flyer**

**BELERO NESTING CHAIRS**

**\$225.00**

COMFORTweb® Seat (Bolero®) Smooth Aluminum Frame, Nests up to 8 high (Bolero®), Non-marring butyrate glides



**FIRST AID SUPPLIES**

**\$44.01**

San Jamar Model No. MKBD100 Mani-Kare® Bandage Dispenser, includes: (1) large patch bandage cartridge (10 bandages per cartridge), (1) knuckle bandage cartridge (10 bandages per cartridge), (3) strip bandage cartridges (15 bandages per cartridge), wall mount, pilferage-resistant with locked upper compartment, blue bandages, NSF



**CLEAN DISHTABLE**

**\$398.74**

Advance Tabco Model No. DTC-S60-48L Dishtable, clean, straight design, attaches to left of dish machine operator, 10-1/2”H backsplash, 3” rolled front & side rims, galvanized legs, with no crossrails, 47”W x 30”D x 34”H, 16/304 stainless steel



**SOILED DISHTABLE**

**\$545.82**

Advance Tabco Model No. DTS-S60-48L Straight-Soil Dishtable, attaches to left of dish machine operator, 10-1/2”H backsplash, with pre-rinse sink, galvanized legs, with no crossrails, 47”W, 16/304 stainless steel



## SOILED DISHTABLE

\$642.51 SINGLE COMPARTMENT SINK \$91.26

Advance Tabco Model No. DTS-S70-36L-X Special Value Straight-Soil Dishtable, attaches to left of dish machine operator, 10-1/2”H backsplash, with pre-rinse sink, stainless steel legs, with crossrails, 35”W, 16/304 stainless steel



## POCKET THERMOMETER

\$36.11

Hubert Company LLC Model No. 15732 QuickTip® Pocket Thermometer, digital, waterproof, 3” stainless steel stem, 7” overall, LCD display, temperature range: -40° to 450°F (-40° to 230°C), accuracy ±0.5°F, resolution 0.1°F, 5-second response, auto-off function, Safe-T-Guard™ sleeve, 3 volt CR2032 lithium battery included, dishwasher safe, plastic, yellow, NSF (1 year limited warranty)



BK Resources Model No. BKS-1-18-12 BKS Resource single compartment sink Sink, one compartment 23-1/2”W x 23-13/16”D x 43-3/4”H overall size, 18” wide x 18” front-to-back x 12” deep compartment, 9”H backsplash, 8” OC splash mount faucet holes, 1-1/2” rolled edges on front & sides, 18/304 stainless steel deck & bowl, galvanized steel legs; adjustable high impact corrosion resistant feet, NSF



## COFFEE URN

\$125.00

Custom Model No. 100 Cup Coffee Urn This 100 Cup Commercial Urn model 33600 quickly brews one cup per minute. It is highly polished aluminum and includes an on/off switch.



## BLODGETT COMBI MODEL BLCM-102E

\$8,500.00

Boilerless combination-oven/steamer. The BLCM-102E has a pan cassette with 3.35” (85mm) spacing that holds Eight full size sheet pans or sixteen 12” x 20” x 2-1/2” deep North American hotel pans. Optional pan cassette with 2.56” (65mm) spacing holds ten full size sheet pans or twenty 12” x 20” x 2” deep Gastronorm pans. **Used**

**RANGE, 60", 6 BURNERS, 24" GRIDDLE**  
**\$10,200.00**

Vulcan Model No. 60SS-6B24GT  
Endurance™ Restaurant Range, gas, 60", (6)  
30,000 BTU burners with lift-off burner heads,  
(1) 24" thermostatic griddle, 3/4" thick, 4"  
wide front grease trough, (2) standard oven  
bases, stainless steel front, sides, backriser &  
high shelf, fully MIG welded frame, 6" adjust-  
able legs, 278,000 BTU, CSA Flame, CSA Star,  
NSF



**Scratch & Dent**

**BACK BAR CABINET, REFRIGERATED**  
**BLUE AIR FSE LLC MODEL NO. BBB23-**  
**1BG-HC**  
**\$1,750.00**

Back Bar Cooler, one-section, 23-3/8"W,  
rear-mounted self-contained refrigeration,  
stainless steel top, (1) glass hinged door (lock-  
ing), metal handle, (2) adjustable shelves,  
interior LED lighting, automatic defrost, gal-  
vanized steel interior with stainless steel floor,  
black laminated exterior, 4"H swivel casters (2  
braked), R290 Hydrocarbon refrigerant, 1/4  
HP, 115v/60/1-ph, 3.0 amps, cord with NEMA  
5-15P, cUL, UL, ETL-Sanitation



*Tax is not included*

**• FAMILY-OWNED AND OPERATED •**  
**UPPER LAKES FOODS**  
EST 1967

**To Order Contact:**

Jim Sorensen -  
jimsorensen@ulfoods.com

Dave Strang -  
dstrang@ulfoods.com

**FREE DELIVERY**