

FAMILY-OWNED AND OPERATED.

UPPER LAKES FOODS

EST 1967

January Equipment Flyer

PIZZA BAKE OVEN, DECK-TYPE, ELECTRIC
Serv-Ware
Model EPO-02

\$132.00 ea

Pizza Oven, electric, countertop, 2-1/2"H opening & 13-1/2" rack accommodates up to 12" diameter pizza or other food, lower & upper heating elements, thermostat pre-set at 450 degrees, 30 minute timer, removable crumb tray, stainless steel exterior, 1450 watts, 120v, 12 amps, cord, plug, ETL



MICROWAVE OVEN
General
Model GEW 1000E

\$278.60 ea

Commercial Microwave Oven, 1.0 cu. ft. interior, digital touch pad control, LED display, 3-stage cooking capability, power level to 10, light up dial timer, metal handle, interlock system, 1000 watts, ETL, cULus, CE



PIZZA PREPARATION REFRIGERATOR
Blue Air FSE LLC
Model BAPP93-HC

\$7,289.00 ea

Pizza Prep Table, three-section, 93-1/4"W, 30.8 cu. ft. capacity, side-mounted self-contained refrigeration, (3) full self-closing doors, (6) adjustable wire shelves, accommodates (12) 1/3 size pans, insulated pan cover with stainless steel divider, 33°-39°F temperature range, 19"D cutting board, stainless steel interior & exterior, 4"H swivel casters (2 braked), R290 Hydrocarbon refrigerant, 3/8 HP, 115v/60/1-ph, 3.5 amps, cord, NEMA 5-15P, cUL, UL, ETL-Sanitation



REFRIGERATED MERCHANDISER
Blue Air FSE LLC
Model BKGM23B-HC

\$2,622.00 ea

Refrigerated Merchandiser, one-section, 23 Cu. Ft. capacity, bottom-mount self-contained refrigeration, (1) double pane hinged glass door (locking), (4) adjustable epoxy coated wire shelves, LED interior lighting, backlit graphic panel, digital monitoring system, black painted steel exterior and trim, white painted steel interior, (4) 2-1/2" casters (2 braked), R290 Hydrocarbon refrigerant, 1/7 HP, 115v/60/1-ph, 2.1 amps, cord, NEMA 5-15P, cETLus, ETL-Sanitation



REFRIGERATED MERCHANDISER
Blue Air FSE LLC
Model BKGM48SLB-HC

\$3,761.00 ea

Refrigerated Merchandiser, one-section, 44.85 Cu. Ft. capacity, bottom-mount self-contained refrigeration, (2) double pane sliding glass doors (locking), (8) adjustable epoxy coated wire shelves, LED interior lighting, backlit graphic panel, digital monitoring system, black painted steel exterior and trim, white painted steel interior, (4) 2-1/2" casters (2 braked), R290 Hydrocarbon refrigerant, 1/4 HP, 115v/60/1-ph, 4.2 amps, cord, NEMA 5-15P, cETLus, ETL-Sanitation



REFRIGERATED MERCHANDISER
Blue Air FSE LLC
Model BKGM49B-HC

\$3,960.00 ea

Refrigerated Merchandiser, two-section, 49 Cu. Ft. capacity, bottom-mount self-contained refrigeration, (2) double pane hinged glass doors (locking), (8) adjustable epoxy coated wire shelves, LED interior lighting, backlit graphic panel, digital monitoring system, black painted steel exterior and trim, white painted steel interior, (4) 2-1/2" casters (2 braked), R290 Hydrocarbon refrigerant, 1/7 HP, 115v/60/1-ph, 3.2 amps, cord, NEMA 5-15P, cETLus, ETL-Sanitation



SANDWICH / SALAD PREPARATION REFRIGERATOR**Blue Air FSE LLC
Model BLPT60-D4-HC****\$3,560.00 ea**

Sandwich Prep Table, two-section, 60-3/8"W, 16.7 cu. ft. capacity, rear-mounted self-contained refrigeration, (16) 1/6 size pan capacity (included), (4) drawers, 9-1/2" cutting board, side rail cutting board bracket, 33° F to 39° F temperature range, insulated pan cover with stainless steel divider, self-diagnostic digital controls & monitor system, stainless steel interior, stainless steel exterior (galvanized steel back & bottom), (4) 4" swivel casters (2 braked), R290 Hydrocarbon refrigerant, 1/4 HP, 115v/60/1-ph, 5.0 amps, cord with NEMA 5-15P, cETLus, ETL-Sanitation



ICE MAKER, CUBE-STYLE**Maximum
Model MIM452****\$4,305.00 ea**

Maxx Ice Modular Ice Maker, cube-style (full dice), air-cooled, self-contained condenser, automatic cleaning, approximately 460 lb. production/24 hours, on/off switch, vertical evaporator, stainless steel exterior, R404a refrigerant, ETL-Sanitation, cULus Classified, CE, ENERGY STAR®



ICE MAKER WITH BIN, CUBE-STYLE**Maximum
Model MIM250****\$2,576.00 ea**

Maxx Ice Ice Maker With Bin, cube-style (full dice), air-cooled, self-contained condense, approximately 260 lb. production/24 hours, 75 lb. built-in storage capacity, slab cube ice type, polyethylene storage bin liner, stainless steel construction, R404a refrigerant, NSF, UL



REFRIGERATED MERCHANDISER**Atosa USA, Inc.
Model MCF8724GR****\$4,589.00 ea**

Refrigerator Merchandiser, three-section, 81-9/10"W x 31-1/2"D x 81-1/5"H, bottom-mounted self-contained refrigeration, 69.5 cu. ft., (3) self-closing hinged glass doors with locks, Dixell electronic controller, 33° to 38°F temperature range, (12) shelves, LED interior lighting, lighted header panel, stainless steel interior, black steel exterior, 2" casters, R290 Hydrocarbon refrigerant, 1/4 HP, 115v/60/1-ph, 4.2 amps, cord, NEMA 5-15P, cETLus, ETL-Sanitation



CONVECTION OVEN, GAS**Duke Manufacturing
Model E101-G****\$4,689.00 ea**

Convection Oven, gas, single-deck, standard depth, thermostatic controls, with 26" high legs, stainless steel front, painted cabinet, NSF, CSA STAR, CSA FLAME, ENERGY STAR®



GAS FLOOR FRYER**Atosa USA, Inc.
Model ATFS-40****\$1,208.00 ea**

CookRite Fryer, gas, floor model, 15-3/5"W x 30-1/10"D x 44-2/5"H, 40 lb. capacity, (3) burners, millivolt control, 200°F-400°F temperature range, (2) nickel plated baskets with coated handles, basket hanger, oil cooling zone seated in the bottom of the tank, stainless steel structure, (4) casters, cETLus, ETL-Sanitation



REACH-IN REFRIGERATOR**Blue Air FSE LLC
Model BSR23-HC****\$2,768.86 ea**

Refrigerator, reach-in, one-section, 23 cu. ft. capacity, bottom-mount self-contained refrigeration, (1) locking solid door, door open alarm, (4) adjustable wire shelves, digital controls, LED interior lighting, stainless steel interior & exterior, 4" swivel casters (2 braked), R290 Hydrocarbon refrigerant, 1/4 HP, 115v/60/1-ph, 2.0 amps, cord with NEMA 5-15P, cETLus, ETL-Sanitation, ENERGY STAR®



REACH-IN REFRIGERATOR**Blue Air FSE LLC
Model BSR49-HC****\$3,853.98 ea**

Refrigerator, reach-in, two-section, 49 cu. ft. capacity, bottom-mount self-contained refrigeration, (2) full-size self-closing solid doors (locking), metal door handles, door open alarm, (8) adjustable wire shelves, digital controls, LED interior lighting, stainless steel interior & exterior, 4" swivel casters (2 braked), R290 Hydrocarbon refrigerant, 1/4 HP, 115v/60/1-ph, 2.4 amps, cord with NEMA 5-15P, cETLus, ETL-Sanitation, ENERGY STAR®



REACH-IN FREEZER
Blue Air FSE LLC
Model BSF23-HC

Freezer, reach-in, one-section, 23 cu. ft. capacity, bottom-mount self-contained refrigeration, (1) full-size solid self-closing door, metal door handle, (4) adjustable wire shelves, digital controls, LED interior lighting, stainless steel interior & exterior, 4" swivel casters (2 braked), R290 Hydrocarbon refrigerant, 1/2 HP, 115v/60/1-ph, 5.6 amps, cord with NEMA 5-15P, cETLus, ETL-Sanitation, ENERGY STAR®

\$3,295.89 ea



REACH-IN FREEZER
Blue Air FSE LLC
Model BSF49-HC

Freezer, reach-in, two-section, 49 cu. ft. capacity, bottom-mount self-contained refrigeration, (2) full-size solid self-closing doors (locking), metal door handles, door open alarm, (8) adjustable wire shelves, digital controls, LED interior lighting, stainless steel interior & exterior, 4" swivel casters (2 braked), R290 Hydrocarbon refrigerant, 1/2 HP, 115v/60/1-ph, 6.6 amps, cord with NEMA 5-15P, cETLus, ETL-Sanitation, ENERGY STAR®

\$4,936.95 ea



PIZZA PREPARATION REFRIGERATOR
Blue Air FSE LLC
Model BAPP67-HC

Pizza Prep Table, two-section, 67"W, 20.2 cu. ft. capacity, side-mounted self-contained refrigeration, (2) full doors, (4) adjustable wire shelves, accommodates (9) 1/3 size pans, insulated pan cover with stainless steel divider, 33°-39°F temperature range, 19"D cutting board, stainless steel interior & exterior, 4"H swivel casters (2 braked), R290 Hydrocarbon refrigerant, 3/8 HP, 115v/60/1-ph, 3.5 amps, cord, NEMA 5-15P, cUL, UL, ETL-Sanitation

\$5,143.91 ea



MEGA TOP SANDWICH / SALAD PREPARATION REFRIGERATOR
Blue Air FSE LLC
Model BLMT48-HC

Mega Top Sandwich Prep Table, two-section, 48-3/8"W, 13.1 cu. ft. capacity, rear-mounted self-contained refrigeration, (18) 1/6 size pan capacity (included), (2) self-closing swing doors, (2) adjustable wire shelves, 9-1/2" cutting board, side rail cutting board bracket, 33° F to 39° F temperature range, insulated pan cover with stainless steel divider, stainless steel interior & exterior, (4) 4" swivel casters (2 braked), R290 Hydrocarbon refrigerant, 1/4 HP, 115v/60/1-ph, 4.7 amps, cord with NEMA 5-15P, cETLus, ETL-Sanitation

\$3,348.71 ea



SANDWICH / SALAD PREPARATION REFRIGERATOR
Blue Air FSE LLC
Model BLPT28-HC

Sandwich Prep Table, one-section, 27-1/2"W, 7.0 cu. ft. capacity, rear-mounted self-contained refrigeration, (6) 1/6 & (2) 1/9 size pan capacity (included), (1) self-closing swing door, (1) adjustable wire shelf, 9-1/2" cutting board, side rail cutting board bracket, 33° F to 39° F temperature range, insulated pan cover with stainless steel divider, digital controls, stainless steel interior & exterior, (4) 4" swivel casters (2 braked), R290 Hydrocarbon refrigerant, 1/4 HP, 115v/60/1-ph, 4.0 amps, cord with NEMA 5-15P, cETLus, ETL-Sanitation

\$2,008.23 ea



SANDWICH / SALAD PREPARATION REFRIGERATOR
Blue Air FSE LLC
Model BLPT36-HC

Sandwich Prep Table, two-section, 36-3/8"W, 9.5 cu. ft. capacity, rear-mounted self-contained refrigeration, (10) 1/6 size pan capacity (included), (2) self-closing swing doors, (2) adjustable wire shelves, 9-1/2" cutting board, side rail cutting board bracket, 33° F to 39° F temperature range, insulated pan cover with stainless steel divider, digital controls, stainless steel interior & exterior, (4) 4" swivel casters (2 braked), R290 Hydrocarbon refrigerant, 1/4 HP, 115v/60/1-ph, 4.1 amps, cord with NEMA 5-15P, cETLus, ETL-Sanitation

\$2,678.39 ea



SANDWICH / SALAD PREPARATION REFRIGERATOR
Blue Air FSE LLC
Model BLPT48-HC

Sandwich Prep Table, two-section, 48-3/8"W, 13.1 cu. ft. capacity, rear-mounted self-contained refrigeration, (12) 1/6 size pan capacity (included), (2) self-closing swing doors, (2) adjustable wire shelves, 9-1/2" cutting board, side rail cutting board bracket, 33° F to 39° F temperature range, insulated pan cover with stainless steel divider, digital controls, stainless steel interior & exterior, (4) 4" swivel casters (2 braked), R290 Hydrocarbon refrigerant, 1/4 HP, 115v/60/1-ph, 4.5 amps, cord with NEMA 5-15P, cETLus, ETL-Sanitation

\$2,861.33 ea



SANDWICH / SALAD PREPARATION REFRIGERATOR
Blue Air FSE LLC
Model BLPT60-HC

Sandwich Prep Table, two-section, 60-3/8"W, 16.7 cu. ft. capacity, rear-mounted self-contained refrigeration, (16) 1/6 size pan capacity (included), (2) self-closing swing doors, (2) adjustable wire shelves, 9-1/2" cutting board, side rail cutting board bracket, 33° F to 39° F temperature range, insulated pan cover with stainless steel divider, digital controls, stainless steel interior & exterior, (4) 4" swivel casters (2 braked), R290 Hydrocarbon refrigerant, 1/4 HP, 115v/60/1-ph, 4.7 amps, cord with NEMA 5-15P, cETLus, ETL-Sanitation

\$3,294.11 ea



January 2022

ICE MAKER, CUBE-STYLE

Koolaire
Model KYT0700A

\$5,208.23 ea

Ice Kube Machine, cube style, air-cooled, self-contained condenser, 30" W, production capacity up to 740 lb/24 hours at 70°/50° (580 lb AHRI certified at 90°/70°), one-touch cleaning, water shield, smudge & fingerprint resistant, Alpha San anti-microbial protection, stainless like finish, half-dice size cubes, R410a refrigerant, NSF, cULus, CE, ENERGY STAR® (replaces KY-0600A) (contact factory for availability)



SANDWICH / SALAD PREPARATION REFRIGERATOR

Blue Air FSE LLC
Model BLPT72-HC

\$3,852.72 ea

Sandwich Prep Table, three-section, 72-3/8"W, 20.2 cu. ft. capacity, rear-mounted self-contained refrigeration, (18) 1/6 size pan capacity (included), (3) self-closing swing doors, (3) adjustable wire shelves, 9-1/2" cutting board, side rail cutting board bracket, 33° F to 39° F temperature range, insulated pan cover with stainless steel divider, digital controls, stainless steel interior & exterior, (4) 4" swivel casters (2 braked), R290 Hydrocarbon refrigerant, 1/4 HP, 115v/60/1-ph, 5.3 amps, cord with NEMA 5-15P, cETLus, ETL-Sanitation



To Order Contact:

Jim Sorensen - jimsorensen@ulfoods.com
Dave Strang - dstrang@ulfoods.com

• FAMILY-OWNED AND OPERATED •
UPPER LAKES FOODS
EST 1967