

# March EQUIPMENT Flyer

FRYER FILTER, MOBILE Atosa USA, Inc. Model FPOF-50

Portable Fryer Filter, 16-1/4"W x 29-1/2"D x 24"H, 50 lb. capacity, 5' flexible high temperature return hose, reversible pump, removable filter assembly, stainless steel exterior & interior, welded steel

frame with 3" swivel casters,

cETLus, ETL-Sanitation



\$2,244.00 ea

FRYER FILTER, MOBILE Atosa USA, Inc. Model FPOF-80

Portable Fryer Filter, 20-1/4"W x 33-1/2"D x 24"H, 80 lb. capacity, 5' flexible high temperature return hose, reversible pump, removable

filter assembly, stainless steel exterior & interior, welded steel frame with 3" swivel casters, cETLus, ETL-Sanitation



\$3,591.00 ea

\$6,998.20 ea

EQUIPMENT STAND, REFRIGERATED BASE Atosa USA, Inc.
Model MGF8451GR

\$2,670.00 ea

Atosa Chef Base, one-section, 52"W x 33"D x 26-3/5"H, side-mounted self-contained refrigeration, 8.4 cu. ft., (2) self-closing drawers with recessed handles, digital temperature control, 34° to 40°F temperature range, includes (6) 12 x 20 stainless steel pans, stainless steel pans, stainless steel pans, stainless steel pans, stainless steel naterior & exterior, 5" casters, R290 Hydrocarbon refrigerant, 1/7 HP, 2.3 amps,115v/60/1-ph, cord, NEMA 5-15P, cETLus, ETL-Sanitation



REACH-IN FREEZER
True Mfg. - General Foodservice
Model T-49F-HC

Freezer, reach-in, two-section, -10°F, (2) stainless steel doors, (6) PVC coated adjustable wire shelves, interior lighting, stainless steel front, aluminum sides, aluminum interior with stainless steel floor, 4" castors, R290 Hydrocarbon refrigerant, 1 HP, 115v/60/1-ph, 9.6 amps, NEMA 5-15P, Made in USA, cULus, UL EPH Classified, ENERGY STAR®



EQUIPMENT STAND, REFRIGERATED BASE Atosa USA, Inc.
Model MGF8452GR

\$2,714.00 ea

Atosa Chef Base with Extended Top, one-section, 60-1/2"W x 33"D x 26-3/5"H, side-mounted self-contained refrigeration, 8.4 cu. ft., (2) self-closing drawers with recessed handles, digital temperature control, 34° to 40°F temperature range, includes (6) 12 x 20 stainless steel pans, stainless steel interior & exterior, 5" casters, R290 Hydrocarbon refrigerant, 1/7 HP, 2.3 amps,115v/60/1-ph, cord, NEMA 5-15P, cETLus, ETL-Sanitation



REACH-IN REFRIGERATOR
True Mfg. - General Foodservice
Model T-49-HC

Refrigerator, reach-in, two-section, (2) stainless steel doors, (6) PVC coated adjustable wire shelves, interior lighting, stainless steel front, aluminum sides, aluminum interior with stainless steel floor, 4" castors, R290 Hydrocarbon refrigerant, 1/2 HP, 115v/60/1-ph, 5.4 amps, NEMA 5-15P, cULus, UL EPH Classified, Made in USA, ENERGY STAR®

\$5,311.90 ea



#### EQUIPMENT STAND, REFRIGERATED BASE Atosa USA, Inc. Model MGF8453GR

\$3,601.00 ea

#### ICE CREAM NOVELTY MERCHANDISER Blue Air FSE LLC Model BCF56-HC

\$1,657.50 ea

Atosa Chef Base with Extended Top, two-section, 72-1/2"W x 33"D x 26-3/5"H, sidemounted self-contained refrigeration, 12.1 cu. ft., (4) self-closing drawers with recessed handles, digital temperature control, 34° to 40°F temperature range, includes (8) 12 x 20 stainless steel pans, stainless steel interior & exterior, 5" casters, R290 Hydrocarbon refrigerant, 1/7 HP, 2.3 amps,115v/60/1-ph, cord, NEMA 5-15P, cETLus, ETL-Sanitation



Ice Cream Merchandiser/Chest Freezer, 56-1/8"W x 29-5/8"D x 33-1/8"H, bottom mounted self-contained refrigeration, 17.66 cu. ft., digital temperature controls, temperature range -10°F ~ -0°F, (2) locking sliding tempered glass doors, (4) epoxy coated white baskets, LED interior lighting, manual defrosting, drain hole, painted galvanized exterior, aluminum interior, casters, R290 Hydrocarbon refrigerant, 1/2 HP, 115v/60/1-ph, 2.4 amps, cord with NEMA 5-20P, cETLus, ETL-Sanitation



# EQUIPMENT STAND, REFRIGERATED BASE Atosa USA, Inc. Model MGF8454GR

\$3,692.00 ea

ICE CREAM NOVELTY MERCHANDISER Blue Air FSE LLC Model BCF80-HC

\$2,000.25 ea

Atosa Chef Base with Extended Top, two-section, 76"W x 33"D x 26-3/5"H, side-mounted self-contained refrigeration, 12.1 cu. ft., (4) self-closing drawers with recessed handles, digital temperature control, 34° to 40°F temperature range, includes (8) 12 x 20 stainless steel pans, stainless steel interior & exterior, 5" casters, R290 Hydrocarbon refrigerant, 1/7 HP, 2.3 amps,115v/60/1-ph, cord, NEMA 5-15P, cETLus, ETL-Sanitation



Ice Cream Merchandiser/Chest Freezer, 79-3/4"W x 29-5/8"D x 33-1/8"H, bottom mounted self-contained refrigeration, 24.72 cu. ft., digital temperature controls, temperature range -10°-0°F, (2) locking sliding tempered glass doors, (6) epoxy coated white baskets, LED interior lighting, manual defrosting, drain hole, painted galvanized exterior, aluminum interior, casters, R290 Hydrocarbon refrigerant, 3/4 HP, 3.8 amps, 115v/60/1-ph, cord, NEMA 5-20P, cETLus, ETL-Sanitation



#### CABINET, COOK / HOLD / OVEN Alto-Shaam Model 1000-TH/II

\$6,760.80 ea

REFRIGERATED MERCHANDISER Blue Air FSE LLC Model BKGM23B-HC

\$2,622.00 ea

Halo Heat® Slo Cook & Hold Oven, electric, low-temperature, 120 lb. capacity each - (8) fullsize sheet pans, (3) stainless steel wire shelves, simple controls with ON/OFF power switch, heavy-duty stainless steel construction, 3-1/2" casters; 2 rigid, 2 swivel with brakes, EcoSmart®, cULus, NSF, CE, IPX3, TUV NORD, EAC, N11942



Refrigerated Merchandiser, one-section, 23 Cu. Ft. capacity, bottom-mount self-contained refrigeration, (1) double pane hinged glass door (locking), (4) adjustable epoxy coated wire shelves, LED interior lighting, backlit graphic panel, digital monitoring system, black painted steel exterior and trim, white painted steel interior, (4) 2-1/2" casters (2 braked), R290 Hydrocarbon refrigerant, 1/7 HP, 115v/60/1-ph, 2.1 amps, cord, NEMA 5-15P, cETLus. ETL-Sanitation



#### REFRIGERATED MERCHANDISER Blue Air FSE LLC Model BKGM48SLB-HC

\$3,761.00 ea

REFRIGERATED MERCHANDISER Blue Air FSE LLC Model BKGM49B-HC

\$3,761.00 ea

Refrigerated Merchandiser, one-section, 44.85 Cu. Ft. capacity, bottom-mount self-contained refrigeration, (2) double pane sliding glass doors (locking), (8) adjustable epoxy coated wire shelves, LED interior lighting, backlit graphic panel, digital monitoring system, black painted steel exterior and trim, white painted steel interior, (4) 2-1/2" casters (2 braked), R290 Hydrocarbon refrigerant, 1/4 HP, 115v/60/1-ph, 4.2 amps, cord, NEMA 5-15P, cETLus, ETL-Sanitation



Refrigerated Merchandiser, two-section, 49 Cu. Ft. capacity, bottom-mount self-contained refrigeration, (2) double pane hinged glass doors (locking), (8) adjustable epoxy coated wire shelves, LED interior lighting, backlit graphic panel, digital monitoring system, black painted steel exterior and trim, white painted steel exterior and trim, white painted steel interior, (4) 2-1/2" casters (2 braked), R290 Hydrocarbon refrigerant, 1/7 HP, 115v/60/1-ph, 3.2 amps, cord, NEMA 5-15P, cETLus, ETL-Sanitation



#### ICE MAKER, CUBE-STYLE Maxximum Model MIM452

Maxx Ice Modular Ice Maker, cube-style (full dice), aircooled, self-contained condenser, automatic cleaning, approximately 460 lb. production/24 hours, on/off switch, vertical evaporator, stainless steel exterior, R404a refrigerant, ETL-Sanitation, cULus Classified, CE, ENERGY STAR®

### \$4,305.00 ea

ICE MAKER WITH BIN, CUBE-STYLE Maxximum Model MIM250

\$2,576.00 ea

Maxx Ice Ice Maker With Bin, cube-style (full dice), air-cooled, self-contained condense, approximately 260 lb. production/24 hours, 75 lb. built-in storage capacity, slab cube ice type, polyethylene storage bin liner, stainless steel construction, R404a refrigerant, NSF, UL



#### CONVECTION OVEN, GAS Duke Manufacturing Model E101-G

Convection Oven, gas, singledeck, standard depth, thermostatic controls, with 26" high legs, stainless steel front, painted cabinet, NSF, CSA STAR, CSA FLAME, ENERGY STAR®

### \$4,689.00 ea

#### PLANETARY MIXER Eurodib USA Model M20ETL


\$1,493.75 ea



Planetary Mixer, 20 quart capacity, with #12 hub meat grinder, 3 speeds, gear driven, stainless steel bowl, whip, hook & beater, painted cast iron base, 1-1/2 HP, 1100 watt, 110v/60/1-ph, 9 amps, NEMA 5-15P, cETLus (not recommended for pizza, pita dough or any equivalent product)

#### FOOD PACKAGING MACHINE Eurodib USA Model DIABLO 12

Diablo Vacuum Packaging Machine, electric, countertop unit, 13.8"W x 11.8"D x 3"H chamber, 12" sealing bar, 8 m³h pump speed, (1) time based program with marinating function, stainless steel, 950 watts, 120v/60/1-ph, 7.9 amps, cord, NEMA 5-15P, cETLus



#### GAS FLOOR FRYER Atosa USA, Inc. Model ATFS-40

\$1,208.00 ea




CookRite Fryer, gas, floor model, 15-3/5"W x 30-1/10"D x 44-2/5"H, 40 lb. capacity, (3) burners, milivolt control, 200°F-400°F temperature range, , (2) nickel plated baskets with coated handles, basket hanger, oil cooling zone seated in the bottom of the tank, stainless steel structure, (4) casters, cETLus, ETL-Sanitation



#### PIZZA PREPARATION REFRIGERATOR Blue Air FSE LLC Model BAPP67-HC

Pizza Prep Table, two-section, 67"W, 20.2 cu. ft. capacity, side-mounted self-contained refrigeration, (2) full doors, (4) adjustable wire shelves, accommodates (9) 1/3 size pans, insulated pan cover with stainless steel divider, 33°-39°F temperature range, 19"D cutting board, stainless steel interior & exterior, 4"H swivel casters (2 braked), R290 Hydrocarbon refrigerant, 3/8 HP, 115v/60/1-ph, 3.5 amps, cord, NEMA 5-15P, cUL, UL, ETL-Sanitation



#### REACH-IN REFRIGERATOR Blue Air FSE LLC Model BSR23-HC

\$2,568.89 ea



Refrigerator, reach-in, one-section, 23 cu. ft. capacity, bottom-mount self-contained refrigeration, (1)locking solid door, door open alarm, (4) adjustable wire shelves, digital controls, LED interior lighting, stainless steel interior & exterior, 4" swivel casters (2 braked), R290 Hydrocarbon refrigerant, 1/4 HP, 115v/60/1-ph, 2.0 amps, cord with NEMA 5-15P, cETLus, ETL-Sanitation, ENERGY STAR®



#### REACH-IN REFRIGERATOR Blue Air FSE LLC Model BSR49-HC

Refrigerator, reach-in, two-section, 49 cu. ft. capacity, bottom-mount self-contained refrigeration, (2) full-size self-closing solid doors (locking), metal door handles, door open alarm, (8) adjustable wire shelves, digital controls, LED interior lighting, stainless steel interior & exterior, 4" swivel casters (2 braked), R290 Hydrocarbon refrigerant, 1/4 HP, 115v/60/1-ph, 2.4 amps, cord with NEMA 5-15P, cETLus, ETL-Sanitation, ENERGY STAR®

### \$3,853.98 ea

#### REACH-IN FREEZER Blue Air FSE LLC Model BSF23-HC

\$3,095.89 ea

Freezer, reach-in, one-section, 23 cu. ft. capacity, bottom-mount self-contained refrigeration, (1) full-size solid self-closing door, metal door handle, (4) adjustable wire shelves, digital controls, LED interior lighting, stainless steel interior & exterior, 4" swivel casters (2 braked), R290 Hydrocarbon refrigerant, 1/2 HP, 115v/60/1-ph, 5.6 amps, cord with NEMA 5-15P, cETLus, ETL-Sanitation, ENERGY STAR®



#### REACH-IN FREEZER Blue Air FSE LLC Model BSF49-HC

Freezer, reach-in, two-section, 49 cu. ft. capacity, bottom-mount self-contained refrigeration, (2) full-size solid self-closing doors (locking), metal door handles, door open alarm, (8) adjustable wire shelves, digital controls, LED interior lighting, stainless steel interior & exterior, 4" swivel casters (2 braked), R290 Hydrocarbon refrigerant, 1/2 HP, 115v/60/1-ph, 6.6 amps, cord with NEMA 5-15P, cETLus, ETL-Sanitation, ENERGY STAR®

### \$4,936.95 ea

#### REACH-IN REFRIGERATOR Atosa USA, Inc. Model MBF8505GR

\$2,332.00 ea

\$2,826.00 ea



Atosa Refrigerator, reach-in, one-section, 27"W x 31-7/10"D x 83-1/10"H, bottom-mount self-contained refrigeration, 19.1 cu. ft., (1) locking right hinged solid door, digital temperature control, 33" to 40°F temperature range, (3) adjustable shelves, interior LED lighting, automatic evaporation, air defrost, stainless steel interior & exterior, galvanized steel back, 4" casters, R290 Hydrocarbon refrigerant, 1/7 HP, 115V/60/1-ph, 2.1 amps, cord with NEMA 5-15P, cETLus, ETL-Sanitation, ENERGY STAR®



#### REACH-IN REFRIGERATOR Atosa USA, Inc. Model MBF8507GR

Atosa Refrigerator, reach-in, two-section, 54-2/5"W x 31-7/10"D x 83-1/10"H, bottommount self-contained refrigeration, 46.77 cu. ft., (2) locking hinged solid doors, digital temperature control, 33° to 40°F temperature range, (6) adjustable shelves, interior LED lighting, automatic evaporation, air defrost, stainless steel interior & exterior, galvanized steel back, 4" casters, R290 Hydrocarbon refrigerant, 1/5 HP, 115v/60/1-ph, 3.2 amps, cord with NEMA 5-15P, cETLus, ETL-Sanitation, ENERGY STAR®

### \$3,249.00 ea

#### REACH-IN FREEZER Atosa USA, Inc. Model MBF8501GR

Atosa Freezer, reach-in, one-section, 27"W x 31-7/10"D x 83-1/10"H, bottom-mount self-contained refrigeration, 19.1 cu. ft., (1) locking right hinged solid door, digital temperature control, -8° to 0°F temperature range, (3) adjustable shelves, interior LED lighting, automatic evaporation, electric defrost, stainless steel interior & exterior, galvanized steel back, 4" casters, R290 Hydrocarbon refrigerant, 1/2 HP, 115v/60/1-ph, 6.3 amps, cord with NEMA 5-15P, CETLus. ETL-Sanitation



#### REACH-IN FREEZER Atosa USA, Inc. Model MBF8503GR

Atosa Freezer, reach-in, two-section, 54-2/5"W x 31-7/10"D x 83-1/10"H, bottom-mount self-contained refrigeration, 44.77 cu. ft., (2) locking hinged solid doors, digital temperature control, -8° to 0°F temperature range, (6) adjustable shelves, interior LED lighting, automatic evaporation, electric defrost, stainless steel interior & exterior, galvanized steel back, 4" casters, R290 Hydrocarbon refrigerant, 3/4 HP, 115v/60/1-ph, 8.6 amps, cord with NEMA 5-15P, cETLus, ETL-Sanitation, ENERGY STAR®

### \$4,164.00 ea



# MEGA TOP SANDWICH / SALAD PREPARATION REFRIGERATOR Blue Air FSE LLC Model BLMT48-HC \$3,348.71 ea

Mega Top Sandwich Prep Table, two-section, 48-3/8"W, 13.1 cu. ft. capacity, rear-mounted self-contained refrigeration, (18) 1/6 size pan capacity (included), (2) self-closing swing doors, (2) adjustable wire shelves, 9-1/2" cutting board, side rail cutting board bracket, 33° F to 39° F temperature range, insulated pan cover with stainless steel divider, stainless steel interior & exterior, (4) 4" swivel casters (2 braked), R290 Hydrocarbon refrigerant, 1/4 HP, 115v/60/1-ph, 4.7 amps, cord with NEMA 5-15P, cETLus, ETL-Sanitation



# SANDWICH / SALAD PREPARATION REFRIGERATOR Blue Air FSE LLC Model BLPT28-HC

\$2,008.23 ea

## SANDWICH / SALAD PREPARATION REFRIGERATOR Blue Air FSE LLC Model BLPT36-HC \$2,678.39 ea

Sandwich Prep Table, one-section, 27-1/2"W, 7.0 cu. ft. capacity, rear-mounted self-contained refrigeration, (6) 1/6 & (2) 1/9 size pan capacity (included), (1) self-closing swing door, (1) adjustable wire shelf, 9-1/2" cutting board, side rail cutting board bracket, 33° F to 39° F temperature range, insulated pan cover with stainless steel divider, digital controls, stainless steel interior & exterior, (4) 4" swivel casters (2 braked), R290 Hydrocarbon refrigerant, 1/4 HP, 115v/60/1-ph, 4.0 amps, cord with NEMA 5-15P, CETLus, ETL-Sanitation



Sandwich Prep Table, two-section, 36-3/8"W, 9.5 cu. ft. capacity, rear-mounted self-contained refrigeration, (10) 1/6 size pan capacity (included), (2) self-closing swing doors, (2) adjustable wire shelves, 9-1/2" cutting board, side rail cutting board bracket, 33" F to 39" F temperature range, insulated pan cover with stainless steel divider, digital controls, stainless steel interior & exterior, (4) 4" swivel casters (2 braked), R290 Hydrocarbon refrigerant, 1/4 HP, 115v/60/1-ph, 4.1 amps, cord with NEMA 5-15P, cETLus, ETL-Sanitation



# SANDWICH / SALAD PREPARATION REFRIGERATOR Blue Air FSE LLC Model BLPT48-HC \$2,861.33 ea

Sandwich Prep Table, two-section, 48-3/8"W, 13.1 cu. ft. capacity, rear-mounted self-contained refrigeration, (12) 1/6 size pan capacity (included), (2) self-closing swing doors, (2) adjustable wire shelves, 9-1/2" cutting board, side rail cutting board bracket, 33° F to 39° F temperature range, insulated pan cover with stainless steel divider, digital controls, stainless steel interior & exterior, (4) 4" swivel casters (2 braked), R290 Hydrocarbon refrigerant, 1/4 HP, 115v/60/1-ph, 4.5 amps, cord with NEMA 5-15P, cETLus, ETL-Sanitation



\$5,208.23 ea

# SANDWICH / SALAD PREPARATION REFRIGERATOR Blue Air FSE LLC Model BLPT60-HC \$3,294.11 ea

Sandwich Prep Table, two-section, 60-3/8"W, 16.7 cu. ft. capacity, rear-mounted self-contained refrigeration, (16) 1/6 size pan capacity (included), (2) self-closing swing doors, (2) adjustable wire shelves, 9-1/2" cutting board, side rail cutting board bracket, 33° F to 39° F temperature range, insulated pan cover with stainless steel divider, digital controls, stainless steel interior & exterior, (4) 4" swivel casters (2 braked), R290 Hydrocarbon refrigerant, 1/4 HP, 115v/60/1-ph, 4.7 amps, cord with NEMA 5-15P, cETLus, ETL-Sanitation



### ICE MAKER, CUBE-STYLE Koolaire Model KYT0700A

Ice Kube Machine, cube style, air-cooled, self-contained condenser, 30" W, production capacity up to 740 lb/24 hours at 70°/50° (580 lb AHRI certified at 90°/70°), one-touch cleaning, water shield, smudge & fingerprint resistant, Alpha San antimicrobial protection, stainless like finish, half-dice size cubes, R410a refrigerant, NSF, CULus, CE, ENERGY STAR® (replaces KY-0600A) (contact factory for availability)



# SANDWICH / SALAD PREPARATION REFRIGERATOR Blue Air FSE LLC Model BLPT72-HC

Sandwich Prep Table, three-section, 72-3/8"W, 20.2 cu. ft. capacity, rear-mounted self-contained refrigeration, (18) 1/6 size pan capacity (included), (3) self-closing swing doors, (3) adjustable wire shelves, 9-1/2" cutting board, side rail cutting board bracket, 33° F to 39° F temperature range, insulated pan cover with stainless steel divider, digital controls, stainless steel interior & exterior, (4) 4" swivel casters (2 braked), R290 Hydrocarbon refrigerant, 1/4 HP, 115v/60/1-ph, 5.3 amps, cord with NEMA 5-15P, cETLus, ETL-Sanitation



\$3,852.72 ea

### **To Order Contact:**

Jim Sorensen - jimsorensen@ulfoods.com

