.FAMILY-OWNED AND OPERATED. **UPPER LAKES FOODS** EST 1967 =

pril **Equipment** Flyer

CHEST FREEZER Atosa USA. Inc. Model MWF9010GR


Atosa Chest Freezer, 40-1/2"W x 26-1/2"D x 32-1/2"H, side-mounted selfcontained refrigeration, 9.6 cu. ft., locking solid hinged lid, epoxy coated white baskets, temperature range -10° to -1°F, white coated steel exterior, white coated aluminum interior, defrost drain, 1" casters, R600a refrigerant, 173 watts, 1/5 HP, 115v/60/1-ph, 1.5 amp, cETLus, ETL-Sanitation



\$513.50 ea

HEATED HOLDING PROOFING CABINET, MOBILE **COZOC Group Inc.** Model HPC7011-C9F9

Heated/Proofer Cabinet, mobile, full height, non-insulated, 23-3/10"W x 32"D x 66-3/5"H, (16) 18" x 26", 12" x 20", 16" x 20", 13" x 18" or 14" x 18" pan capacity, accommodates hotel pans, adjustable digital controls, LED temperature display, holding temperature up to 185°F, base water pan, clear polycarbonate door with zinc alloy magnetic handle, corner bumpers, aluminum construction. 5" casters (2 locking), 120v/60/1-ph, 1500 watts, ETL





CABINET, COOK / HOLD / OVEN Alto-Shaam Model 1000-TH/II

Halo Heat[®] Slo Cook & Hold Oven, electric, low-temperature, 120 lb. capacity each - (8) fullsize sheet pans, (3) stainless steel wire shelves, simple controls with ON/OFF power switch, heavy-duty stainless steel construction, 3-1/2" casters; 2 rigid, 2 swivel with brakes, EcoSmart®, cULus, NSF, CE, IPX3, TUV NORD, EAC, N11942

MICROWAVE OVEN General Model GEW 1000E

Commercial Microwave Oven, 1.0 cu. ft. interior, digital touch pad control, LED display, 3stage cooking capability, power level to 10, light up dial timer, metal handle, interlock system, 1000 watts, ETL, cULus, CE



\$6,760.80 ea

PIZZA BAKE OVEN, DECK-TYPE, ELECTRIC Serv-Ware Model EPO-02

Pizza Oven, electric, countertop, 2-1/2"H opening & 13-1/2" rack accommodates up to 12" diameter pizza or other food, lower & upper heating elements, thermostat pre-set at 450 degrees, 30 minute timer, removable crumb tray, stainless steel exterior, 1450 watts, 120v, 12 amps, cord, plug, ETL



PIZZA PREPARATION REFRIGERATOR **Blue Air FSE LLC** Model BAPP93-HC

\$7,289.00 ea

\$132.00 ea

Pizza Prep Table, three-section, 93-1/4"W, 30.8 cu. ft. capacity, side-mounted selfcontained refrigeration, (3) full self-closing doors. (6) adjustable wire shelves. accommodates (12) 1/3 size pans, insulated pan cover with stainless steel divider, 33°-39°F temperature range, 19"D cutting board, stainless steel interior & exterior, 4"H swivel casters (2 braked), R290 Hydrocarbon refrigerant, 3/8 HP, 115v/60/1-ph, 3.5 amps, cord, NEMA 5-15P, cUL, UL, ETL-Sanitation



\$278.60 ea



REFRIGERATED MERCHANDISER Blue Air FSE LLC Model BKGM23B-HC

Refrigerated Merchandiser, one-section, 23 Cu. Ft. capacity, bottom-mount selfcontained refrigeration, (1) double pane hinged glass door (locking), (4) adjustable epoxy coated wire shelves, LED interior lighting, backlit graphic panel, digital monitoring system, black painted steel exterior and trim, white painted steel interior, (4) 2-1/2" casters (2 braked), R290 Hydrocarbon refrigerant, 1/7 HP, 115v/60/1-ph, 2.1 amps, cord, NEMA 5-15P, cETLus, ETL-Sanitation

REFRIGERATED MERCHANDISER Blue Air FSE LLC Model BKGM49B-HC

Refrigerated Merchandiser, two-section, 49 Cu. Ft. capacity, bottom-mount selfcontained refrigeration, (2) double pane hinged glass doors (locking), (8) adjustable epoxy coated wire shelves, LED interior lighting, backlit graphic panel, digital monitoring system, black painted steel exterior and trim, white painted steel interior, (4) 2-1/2" casters (2 braked), R290 Hydrocarbon refrigerant, 1/7 HP, 115v/60/1-ph, 3.2 amps, cord, NEMA 5-15P, cETLus, ETL-Sanitation

ICE MAKER, CUBE-STYLE Maxximum Model MIM452

Maxx Ice Modular Ice Maker, cube-style (full dice), aircooled, self-contained condenser, automatic cleaning, approximately 460 lb. production/24 hours, on/off switch, vertical evaporator, stainless steel exterior, R404a refrigerant, ETL-Sanitation, cULus Classified, CE, ENERGY STAR[®]

REFRIGERATED MERCHANDISER Atosa USA, Inc. Model MCF8724GR

Refrigerator Merchandiser, three-section, 81-9/10"W x 31-1/2"D x 81-1/5"H, bottommounted self-contained refrigeration, 69.5 cu. ft., (3) self-closing hinged glass doors with locks, Dixell electronic controller, 33° to 38°F temperature range, (12) shelves, LED interior lighting, lighted header panel, stainless steel interior, black steel exterior, 2" casters, R290 Hydrocarbon refrigerant, 1/4 HP, 115v/60/1-ph, 4.2 amps, cord, NEMA 5-15P, cETLus, ETL-Sanitation

\$4,305.00 ea

\$4,589.00 ea



REFRIGERATED MERCHANDISER Blue Air FSE LLC Model BKGM48SLB-HC

Refrigerated Merchandiser, one-section, 44.85 Cu. Ft. capacity, bottom-mount selfcontained refrigeration, (2) double pane sliding glass doors (locking), (8) adjustable epoxy coated wire shelves, LED interior lighting, backlit graphic panel, digital monitoring system, black painted steel exterior and trim, white painted steel interior, (4) 2-1/2" casters (2 braked), R290 Hydrocarbon refrigerant, 1/4 HP, 115v/60/1-ph, 4.2 amps, cord, NEMA 5-15P, cETLus, ETL-Sanitation

SANDWICH / SALAD PREPARATION REFRIGERATOR **Blue Air FSE LLC** Model BLPT60-D4-HC

\$3,560.00 ea

\$2,576.00 ea

Sandwich Prep Table, two-section, 60-3/8"W, 16.7 cu. ft. capacity, rear-mounted selfcontained refrigeration, (16) 1/6 size pan capacity (included), (4) drawers, 9-1/2" cutting board, side rail cutting board bracket, 33° F to 39° F temperature range, insulated pan cover with stainless steel divider, self-diagnostic digital controls & monitor system, stainless steel interior, stainless steel exterior (galvanized steel back & bottom), (4) 4" swivel casters (2 braked), R290 Hydrocarbon refrigerant, 1/4 HP, 115v/60/1-ph, 5.0 amps, cord with NEMA 5-15P, cETLus, ETL-Sanitation



ICE MAKER WITH BIN, CUBE-STYLE Maxximum Model MIM250

Maxx Ice Ice Maker With Bin, cube-style (full dice), aircooled, self-contained condense, approximately 260 lb. production/24 hours, 75 lb. built-in storage capacity, slab cube ice type, polyethylene storage bin liner, stainless steel construction, R404a refrigerant, NSF, UL



CONVECTION OVEN, GAS **Duke Manufacturing** Model E101-G

Convection Oven, gas, singledeck, standard depth, thermostatic controls, with 26" high legs, stainless steel front, painted cabinet, NSF, CSA STAR, CSA FLAME, ENERGY STAR®

\$4,689.00 ea



\$3,761.00 ea





\$3,960.00 ea

\$2,622.00 ea

GAS FLOOR FRYER Atosa USA, Inc. Model ATFS-40

CookRite Fryer, gas, floor model, 15-3/5"W x 30-1/10"D x 44-2/5"H, 40 lb. capacity, (3) burners, milivolt control, 200°F-400°F temperature range, , (2) nickel plated baskets with coated handles, basket hanger, oil cooling zone seated in the bottom of the tank, stainless steel structure, (4) casters, cETLus, ETL-Sanitation

REACH-IN REFRIGERATOR Blue Air FSE LLC Model BSR23-HC

Refrigerator, reach-in, one-section, 23 cu. ft. capacity, bottom-mount self-contained refrigeration, (1)locking solid door, door open alarm, (4) adjustable wire shelves, digital controls, LED interior lighting, stainless steel interior & exterior, 4" swivel casters (2 braked), R290 Hydrocarbon refrigerant, 1/4 HP, 115v/60/1-ph, 2.0 amps, cord with NEMA 5-15P, cETLus, ETL-Sanitation, **ENERGY STAR®**

REACH-IN FREEZER Blue Air FSE LLC Model BSF23-HC

Freezer, reach-in, one-section, 23 cu. ft. capacity, bottom-mount selfcontained refrigeration, (1) full-size solid self-closing door, metal door handle, (4) adjustable wire shelves, digital controls, LED interior lighting, stainless steel interior & exterior, 4" swivel casters (2 braked), R290 Hydrocarbon refrigerant, 1/2 HP, 115v/60/1-ph, 5.6 amps, cord with NEMA 5-15P, cETLus, ETL-Sanitation, **ENERGY STAR®**

REACH-IN REFRIGERATOR Atosa USA, Inc. Model MBF8505GR

Atosa Refrigerator, reach-in, one-section, 27"W x 31-7/10"D x 83-1/10"H. bottom-mount selfcontained refrigeration, 19.1 cu. ft., (1) locking right hinged solid door , digital temperature control, 33° to 40°F temperature range, (3) adjustable shelves, interior LED lighting, automatic evaporation, air defrost, stainless steel interior & exterior, galvanized steel back, 4" casters, R290 Hydrocarbon refrigerant, 1/7 HP, 115v/60/1-ph, 2.1 amps, cord with NEMA 5-15P, cETLus, ETL-Sanitation, ENERGY STAR®

\$1,208.00 ea



PIZZA PREPARATION REFRIGERATOR Blue Air FSE LLC Model BAPP67-HC

Pizza Prep Table, two-section, 67"W, 20.2 cu. ft. capacity, side-mounted selfcontained refrigeration, (2) full doors, (4) adjustable wire shelves, accommodates (9) 1/3 size pans, insulated pan cover with stainless steel divider. 33°-39°F temperature range, 19"D cutting board, stainless steel interior & exterior, 4"H swivel casters (2 braked), R290 Hydrocarbon refrigerant, 3/8 HP, 115v/60/1-ph, 3.5 amps, cord, NEMA 5-15P, cUL, UL, ETL-Sanitation

REACH-IN REFRIGERATOR Blue Air FSE LLC Model BSR49-HC

Refrigerator, reach-in, two-section, 49 cu. ft. capacity, bottom-mount self-contained refrigeration, (2) full-size self-closing solid doors (locking), metal door handles, door open alarm, (8) adjustable wire shelves, digital controls, LED interior lighting, stainless steel interior & exterior, 4" swivel casters (2 braked), R290 Hydrocarbon refrigerant, 1/4 HP, 115v/60/1-ph, 2.4 amps, cord with NEMA 5-15P, cETLus, ETL-Sanitation, ENERGY STAR®

REACH-IN FREEZER Blue Air FSE LLC Model BSF49-HC

Freezer, reach-in, two-section, 49 cu. ft. capacity, bottom-mount self-contained refrigeration, (2) full-size solid self-closing doors (locking), metal door handles, door open alarm, (8) adjustable wire shelves, digital controls, LED interior lighting, stainless steel interior & exterior, 4" swivel casters (2 braked), R290 Hydrocarbon refrigerant, 1/2 HP, 115v/60/1-ph, 6.6 amps, cord with NEMA 5-15P, cETLus, ETL-Sanitation, ENERGY STAR®

\$4,936.95 ea



\$2,332.00 ea



REACH-IN REFRIGERATOR Atosa USA, Inc. Model MBF8507GR

Atosa Refrigerator, reach-in, two-section, 54-2/5"W x 31-7/10"D x 83-1/10"H. bottommount self-contained refrigeration, 46.77 cu. ft., (2) locking hinged solid doors, digital temperature control, 33° to 40°F temperature range, (6) adjustable shelves, interior LED lighting, automatic evaporation, air defrost, stainless steel interior & exterior, galvanized steel back, 4" casters, R290 Hydrocarbon refrigerant, 1/5 HP, 115v/60/1-ph, 3.2 amps, cord with NEMA 5-15P, cETLus, ETL-Sanitation, ENERGY STAR®

\$3,249.00 ea







\$3,295.89 ea

\$2,768.86 ea



\$5,143.91 ea

\$3,853.98 ea

REACH-IN FREEZER Atosa USA, Inc. Model MBF8501GR

Atosa Freezer, reach-in, one-section, 27"W x 31-7/10"D x 83-1/10"H, bottom-mount self-contained refrigeration, 19.1 cu. ft., (1) locking right hinged solid door, digital temperature control, -8° to 0°F temperature range, (3) adjustable shelves, interior LED lighting, automatic evaporation, electric defrost, stainless steel interior & exterior, galvanized steel back, 4" casters, R290 Hydrocarbon refrigerant, 1/2 HP, 115v/60/1-ph, 6.3 amps, cord with NEMA 5-15P, cETLus, ETL-Sanitation



\$2,826.00 ea

MEGA TOP SANDWICH / SALAD PREPARATION REFRIGERATOR Blue Air FSE LLC \$3,348.71 ea Model BLMT48-HC

Mega Top Sandwich Prep Table, two-section, 48-3/8"W, 13.1 cu. ft. capacity, rear-mounted self-contained refrigeration, (18) 1/6 size pan capacity (included), (2) self-closing swing doors, (2) adjustable wire shelves, 9-1/2" cutting board, side rail cutting board bracket, 33° F to 39° F temperature range, insulated pan cover with stainless steel divider, stainless steel interior & exterior, (4) 4" swivel casters (2 braked), R290 Hydrocarbon refrigerant, 1/4 HP, 115v/60/1-ph, 4.7 amps, cord with NEMA 5-15P, cETLus, ETL-Sanitation

SANDWICH / SALAD PREPARATION REFRIGERATOR Blue Air FSE LLC \$2,678.39 ea Model BLPT36-HC

Sandwich Prep Table, two-section, 36-3/8"W, 9.5 cu. ft. capacity, rear-mounted selfcontained refrigeration, (10) 1/6 size pan capacity (included), (2) self-closing swing doors, (2) adjustable wire shelves, 9-1/2" cutting board, side rail cutting board bracket, 33° F to 39° F temperature range, insulated pan cover with stainless steel divider, digital controls, stainless steel interior & exterior, (4) 4" swivel casters (2 braked), R290 Hydrocarbon refrigerant, 1/4 HP, 115v/60/1ph, 4.1 amps, cord with NEMA 5-15P, cETLus, ETL-Sanitation



SANDWICH / SALAD PREPARATION REFRIGERATOR Blue Air FSE LLC \$3,294.11 ea Model BLPT60-HC

Sandwich Prep Table, two-section, 60-3/8"W, 16.7 cu. ft. capacity, rear-mounted selfcontained refrigeration, (16) 1/6 size pan capacity (included), (2) self-closing swing doors, (2) adjustable wire shelves, 9-1/2" cutting board, side rail cutting board bracket, 33° F to 39° F temperature range, insulated pan cover with stainless steel divider, digital controls, stainless steel interior & exterior, (4) 4" swivel casters (2 braked), R290 Hydrocarbon refrigerant, 1/4 HP, 115v/60/1ph, 4.7 amps, cord with NEMA 5-15P, cETLus, ETL-Sanitation



REACH-IN FREEZER Atosa USA, Inc. Model MBF8503GR

Atosa Freezer, reach-in, two-section, 54-2/5"W x 31-7/10"D x 83-1/10"H, bottom-mount selfcontained refrigeration, 44.77 cu. ft., (2) locking hinged solid doors, digital temperature control, -8° to 0°F temperature range, (6) adjustable shelves, interior LED lighting, automatic evaporation, electric defrost, stainless steel interior & exterior, galvanized steel back, 4" casters, R290 Hydrocarbon refrigerant, 3/4 HP, 115v/60/1-ph, 8.6 amps, cord with NEMA 5-15P, cETLus, ETL-Sanitation, ENERGY STAR®

\$4,164.00 ea



SANDWICH / SALAD PREPARATION REFRIGERATOR Blue Air FSE LLC \$2,008.23 ea Model BLPT28-HC

Sandwich Prep Table, one-section, 27-1/2"W, 7.0 cu. ft. capacity, rear-mounted selfcontained refrigeration, (6) 1/6 & (2) 1/9 size pan capacity (included), (1) self-closing swing door, (1) adjustable wire shelf, 9-1/2" cutting board, side rail cutting board bracket, 33° F to 39° F temperature range, insulated pan cover with stainless steel divider, digital controls, stainless steel divider, digital controls, stainless (2 braked), R290 Hydrocarbon refrigerant, 1/4 HP, 115v/60/1-ph, 4.0 amps, cord with NEMA 5-15P, cETLus, ETL-Sanitation



SANDWICH / SALAD PREPARATION REFRIGERATOR Blue Air FSE LLC \$2,861.33 ea Model BLPT48-HC

Sandwich Prep Table, two-section, 48-3/8"W, 13.1 cu. ft. capacity, rear-mounted selfcontained refrigeration, (12) 1/6 size pan capacity (included), (2) self-closing swing doors, (2) adjustable wire shelves, 9-1/2" cutting board, side rail cutting board bracket, 33° F to 39° F temperature range, insulated pan cover with stainless steel divider, digital controls, stainless steel interior & exterior, (4) 4" swivel casters (2 braked), R290 Hydrocarbon refrigerant, 1/4 HP, 115v/60/1ph, 4.5 amps, cord with NEMA 5-15P, cETLus, ETL-Sanitation



ICE MAKER, CUBE-STYLE Koolaire Model KYT0700A

Ice Kube Machine, cube style, aircooled, self-contained condenser, 30" W, production capacity up to 740 Ib/24 hours at 70°/50° (580 lb AHRI certified at 90°/70°), one-touch cleaning, water shield, smudge & fingerprint resistant, Alpha San antimicrobial protection, stainless like finish, half-dice size cubes, R410a refrigerant, NSF, cULus, CE, ENERGY STAR® (replaces KY-0600A) (contact factory for availability) \$5,208.23 ea





SANDWICH / SALAD PREPARATION REFRIGERATOR Blue Air FSE LLC \$3,852.72 ea Model BLPT72-HC

Sandwich Prep Table, three-section, 72-3/8"W, 20.2 cu. ft. capacity, rear-mounted selfcontained refrigeration, (18) 1/6 size pan capacity (included), (3) self-closing swing doors, (3) adjustable wire shelves, 9-1/2" cutting board, side rail cutting board bracket, 33° F to 39° F temperature range, insulated pan cover with stainless steel divider, digital controls, stainless steel interior & exterior, (4) 4" swivel casters (2 braked), R290 Hydrocarbon refrigerant, 1/4 HP, 115v/60/1ph, 5.3 amps, cord with NEMA 5-15P, cETLus, ETL-Sanitation



CONVECTION OVEN, ELECTRIC Royal Range of California Model RECO-1

Convection Oven, electric, singledeck, standard depth, accommodates full size sheet pans, electric thermostat adjustable from 150-500°F, (5) chrome plated racks standard with (11) positions, porcelain coated interior, dual stainless steel doors with glass viewing window on right, stainless steel front, sides & top, 9.0kW, cCSAus, CSA-Sanitation, Made in USA \$6,417.00 ea



To Order Contact: Jim Sorensen - jimsorensen@ulfoods.com

