

APRIL EQUIPMENT FLYER

REACH-IN FREEZER Blue Air FSE LLC Model BSF23-HC

Freezer, reach-in, one-section, 23 cu. ft. capacity, bottom-mount self-contained refrigeration, (1) full-size solid self-closing door, metal door handle, (4) adjustable wire shelves, digital controls, LED interior lighting, stainless steel interior & exterior, 4" swivel casters (2 braked), R290 Hydrocarbon refrigerant, 1/2 HP, 115v/60/1-ph, 5.6 amps, cord with NEMA 5-15P, CETLus, ETL-Sanitation, ENERGY STAR®



REACH-IN REFRIGERATOR Blue Air FSE LLC Model BSR23-HC

\$2,568.89 ea



Refrigerator, reach-in, one-section, 23 cu. ft. capacity, bottom-mount self-contained refrigeration, (1)locking solid door, door open alarm, (4) adjustable wire shelves, digital controls, LED interior lighting, stainless steel interior & exterior, 4" swivel casters (2 braked), R290 Hydrocarbon refrigerant, 1/4 HP, 115v/60/1-ph, 2.0 amps, cord with NEMA 5-15P, cETLus, ETL-Sanitation, ENERGY STAR®



EQUIPMENT STAND, REFRIGERATED BASE Atosa USA, Inc.
Model MGF8451GR

\$2,670.00 ea

REACH-IN FREEZER
True Mfg. - General Foodservice
Model T-49F-HC

\$6,998.20 ea

Atosa Chef Base, one-section, 52"W x 33"D x 26-3/5"H, side-mounted self-contained refrigeration, 8.4 cu. ft., (2) self-closing drawers with recessed handles, digital temperature control, 34° to 40°F temperature range, includes (6) 12 x 20 stainless steel pans, stainless steel pans, stainless steel pans, stainless steel nterior & exterior, 5" casters, R290 Hydrocarbon refrigerant, 1/7 HP, 2.3 amps,115v/60/1-ph, cord, NEMA 5-15P, cETLus, ETL-Sanitation



Freezer, reach-in, two-section, -10°F, (2) stainless steel doors, (6) PVC coated adjustable wire shelves, interior lighting, stainless steel front, aluminum sides, aluminum interior with stainless steel floor, 4" castors, R290 Hydrocarbon refrigerant, 1 HP, 115v/60/1-ph, 9.6 amps, NEMA 5-15P, Made in USA, cULus, UL EPH Classified, ENERGY STAR®



REACH-IN REFRIGERATOR
True Mfg. - General Foodservice
Model T-49-HC

Refrigerator, reach-in, two-section, (2) stainless steel doors, (6) PVC coated adjustable wire shelves, interior lighting, stainless steel front, aluminum sides, aluminum interior with stainless steel floor, 4" castors, R290 Hydrocarbon refrigerant, 1/2 HP, 115v/60/1-ph, 5.4 amps, NEMA 5-15P, cULus, UL EPH Classified, Made in USA, ENERGY STAR®

\$5,311.90 ea

ICE CREAM NOVELTY MERCHANDISER Blue Air FSE LLC Model BCF56-HC

\$1,657.50 ea



Ice Cream Merchandiser/Chest Freezer, 56-1/8"W x 29-5/8"D x 33-1/8"H, bottom mounted self-contained refrigeration, 17.66 cu. ft., digital temperature controls, temperature range -10°F $^{\sim}$ -0°F, (2) locking sliding tempered glass doors, (4) epoxy coated white baskets, LED interior lighting, manual defrosting, drain hole, painted galvanized exterior, aluminum interior, casters, R290 Hydrocarbon refrigerant, 1/2 HP, 115v/60/1-ph, 2.4 amps, cord with NEMA 5-20P, cETLus, ETL-Sanitation



CABINET, COOK / HOLD / OVEN Alto-Shaam Model 1000-TH/II

Halo Heat® Slo Cook & Hold Oven, electric, low-temperature, 120 lb. capacity each - (8) fullsize sheet pans, (3) stainless steel wire shelves, simple controls with ON/OFF power switch, heavy-duty stainless steel construction, 3-1/2" casters; 2 rigid, 2 swivel with brakes, EcoSmart®, cULus, NSF, CE, IPX3, TUV NORD, EAC, N11942

\$6,760.80 ea

REFRIGERATED MERCHANDISER Blue Air FSE LLC Model BKGM23B-HC

\$2,622.00 ea

Refrigerated Merchandiser, one-section, 23 Cu. Ft. capacity, bottom-mount self-contained refrigeration, (1) double pane hinged glass door (locking), (4) adjustable epoxy coated wire shelves, LED interior lighting, backlit graphic panel, digital monitoring system, black painted steel exterior and trim, white painted steel interior, (4) 2-1/2" casters (2 braked), R290 Hydrocarbon refrigerant, 1/7 HP, 115v/60/1-ph, 2.1 amps, cord, NEMA 5-15P, cETLus, ETL-Sanitation



REFRIGERATED MERCHANDISER Blue Air FSE LLC Model BKGM48SLB-HC


Refrigerated Merchandiser, one-section, 44.85 Cu. Ft. capacity, bottom-mount self-contained refrigeration, (2) double pane sliding glass doors (locking), (8) adjustable epoxy coated wire shelves, LED interior lighting, backlit graphic panel, digital monitoring system, black painted steel exterior and trim, white painted steel exterior, (4) 2-1/2" casters (2 braked), R290 Hydrocarbon refrigerant, 1/4 HP, 115v/60/1-ph, 4.2 amps, cord, NEMA 5-15P, cETLus, ETL-Sanitation

\$3,761.00 ea

REFRIGERATED MERCHANDISER Blue Air FSE LLC Model BKGM49B-HC

\$3,761.00 ea

ple Die 290





ICE MAKER, CUBE-STYLE Maxximum Model MIM452

Maxx Ice Modular Ice Maker, cube-style (full dice), aircooled, self-contained condenser, automatic cleaning, approximately 460 lb. production/24 hours, on/off switch, vertical evaporator, stainless steel exterior, R404a refrigerant, ETL-Sanitation, cULus Classified, CE, ENERGY STAR®

\$4,305.00 ea

CONVECTION OVEN, GAS Duke Manufacturing Model E101-G

\$4,689.00 ea



Convection Oven, gas, singledeck, standard depth, thermostatic controls, with 26" high legs, stainless steel front, painted cabinet, NSF, CSA STAR, CSA FLAME, ENERGY STAR®



PLANETARY MIXER Eurodib USA Model M20ETL

Planetary Mixer, 20 quart capacity, with #12 hub meat grinder, 3 speeds, gear driven, stainless steel bowl, whip, hook & beater, painted cast iron base, 1-1/2 HP, 1100 watt, 110v/60/1-ph, 9 amps, NEMA 5-15P, cETLus (not recommended for pizza, pita dough or any equivalent product)

\$1,493.75 ea

GAS FLOOR FRYER Atosa USA, Inc. Model ATFS-40

\$1,208.00 ea



CookRite Fryer, gas, floor model, 15-3/5"W x 30-1/10"D x 44-2/5"H, 40 lb. capacity, (3) burners, milivolt control, 200°F-400°F temperature range, , (2) nickel plated baskets with coated handles, basket hanger, oil cooling zone seated in the bottom of the tank, stainless steel structure, (4) casters, cETLus, ETL-Sanitation



PIZZA PREPARATION REFRIGERATOR Blue Air FSE LLC Model BAPP67-HC

\$5,173.91 ea

REACH-IN REFRIGERATOR Blue Air FSE LLC Model BSR49-HC

\$3,853.98 ea

Pizza Prep Table, two-section, 67"W, 20.2 cu. ft. capacity, side-mounted self-contained refrigeration, (2) full doors, (4) adjustable wire shelves, accommodates (9) 1/3 size pans, insulated pan cover with stainless steel divider, 33°-39°F temperature range, 19"D cutting board, stainless steel interior & exterior, 4"H swivel casters (2 braked), R290 Hydrocarbon refrigerant, 3/8 HP, 115v/60/1-ph, 3.5 amps, cord, NEMA 5-15P, cUL, UL, ETL-Sanitation



Refrigerator, reach-in, two-section, 49 cu. ft. capacity, bottom-mount self-contained refrigeration, (2) full-size self-closing solid doors (locking), metal door handles, door open alarm, (8) adjustable wire shelves, digital controls, LED interior lighting, stainless steel interior & exterior, 4" swivel casters (2 braked), R290 Hydrocarbon refrigerant, 1/4 HP, 115v/60/1-ph, 2.4 amps, cord with NEMA 5-15P, cETLus, ETL-Sanitation, ENERGY STAR®



REACH-IN FREEZER Blue Air FSE LLC Model BSF49-HC

\$4,936.95 ea

MEGA TOP SANDWICH / SALAD PREPARATION REFRIGERATOR Blue Air FSE LLC Model BLMT48-HC \$3,348.71 ea

Freezer, reach-in, two-section, 49 cu. ft. capacity, bottom-mount self-contained refrigeration, (2) full-size solid self-closing doors (locking), metal door handles, door open alarm, (8) adjustable wire shelves, digital controls, LED interior lighting, stainless steel interior & exterior, 4" swivel casters (2 braked), R290 Hydrocarbon refrigerant, 1/2 HP, 115v/60/1-ph, 6.6 amps, cord with NEMA 5-15P, cETLus, ETL-Sanitation, ENERGY STAR®



Mega Top Sandwich Prep Table, two-section, 48-3/8"W, 13.1 cu. ft. capacity, rear-mounted self-contained refrigeration, (18) 1/6 size pan capacity (included), (2) self-closing swing doors, (2) adjustable wire shelves, 9-1/2" cutting board, side rail cutting board bracket, 33° F to 39° F temperature range, insulated pan cover with stainless steel divider, stainless steel interior & exterior, (4) 4" swivel casters (2 braked), R290 Hydrocarbon refrigerant, 1/4 HP, 115v/60/1-ph, 4.7 amps, cord with NEMA 5-15P, CETLus, ETL-Sanitation



SANDWICH / SALAD PREPARATION REFRIGERATOR Blue Air FSE LLC Model BLPT48-HC \$

\$2,861.33 ea

SANDWICH / SALAD PREPARATION REFRIGERATOR Blue Air FSE LLC Model BLPT60-HC \$3,294.11 ea

Sandwich Prep Table, two-section, 48-3/8"W, 13.1 cu. ft. capacity, rear-mounted self-contained refrigeration, (12) 1/6 size pan capacity (included), (2) self-closing swing doors, (2) adjustable wire shelves, 9-1/2" cutting board, side rail cutting board bracket, 33° F to 39° F temperature range, insulated pan cover with stainless steel divider, digital controls, stainless steel interior & exterior, (4) 4" swivel casters (2 braked), R290 Hydrocarbon refrigerant, 1/4 HP, 115v/60/1-ph, 4.5 amps, cord with NEMA 5-15P, cETLus, ETL-Sanitation



Sandwich Prep Table, two-section, 60-3/8"W, 16.7 cu. ft. capacity, rear-mounted self-contained refrigeration, (16) 1/6 size pan capacity (included), (2) self-closing swing doors, (2) adjustable wire shelves, 9-1/2" cutting board, side rail cutting board bracket, 33" F to 39" F temperature range, insulated pan cover with stainless steel divider, digital controls, stainless steel interior & exterior, (4) 4" swivel casters (2 braked), R290 Hydrocarbon refrigerant, 1/4 HP, 115v/60/1-ph, 4.7 amps, cord with NEMA 5-15P, CETLus, ETL-Sanitation



ICE MAKER, CUBE-STYLE Koolaire Model KYT0700A

\$5,208.23 ea

SANDWICH / SALAD PREPARATION REFRIGERATOR Blue Air FSE LLC Model BLPT72-HC \$3,852.72 ea

Ice Kube Machine, cube style, air-cooled, self-contained condenser, 30" W, production capacity up to 740 lb/24 hours at 70°/50° (580 lb AHRI certified at 90°/70°), one-touch cleaning, water shield, smudge & fingerprint resistant, Alpha San antimicrobial protection, stainless like finish, half-dice size cubes, R410a refrigerant, NSF, cULus, CE, ENERGY STAR® (replaces KY-0600A) (contact factory for availability)



Sandwich Prep Table, three-section, 72-3/8"W, 20.2 cu. ft. capacity, rear-mounted self-contained refrigeration, (18) 1/6 size slip apacity (included), (3) self-closing swing doors, (3) adjustable wire shelves, 9-1/2" cutting board, side rail cutting board bracket, 33° F to 39° F temperature range, insulated pan cover with stainless steel divider, digital controls, stainless steel interior & exterior, (4) 4" swivel casters (2 braked), R290 Hydrocarbon refrigerant, 1/4 HP, 115v/60/1-ph, 5.3 amps, cord with NEMA 5-15P, cETLus, ETL-Sanitation



CONVECTION OVEN, ELECTRIC Royal Range of California Model RECO-1

Convection Oven, electric, single-deck, standard depth, accommodates full size sheet pans, electric thermostat adjustable from 150-500°F, (5) chrome plated racks standard with (11) positions, porcelain coated interior, dual stainless steel doors with glass viewing window on right, stainless steel front, sides & top, 9.0kW, cCSAus, CSA-Sanitation, Made in USA

\$6,417.00 ea



