

• FAMILY-OWNED AND OPERATED •

# UPPER LAKES FOODS

EST 1967

## May Equipment Flyer

**ICE CREAM NOVELTY MERCHANDISER**  
Blue Air FSE LLC  
Model BCF56-HC

**\$1,657.50 ea**

Ice Cream Merchandiser/Chest Freezer, 56-1/8"W x 29-5/8"D x 33-1/8"H, bottom mounted self-contained refrigeration, 17.66 cu. ft., digital temperature controls, temperature range -10°F ~ -0°F, (2) locking sliding tempered glass doors, (4) epoxy coated white baskets, LED interior lighting, manual defrosting, drain hole, painted galvanized exterior, aluminum interior, casters, R290 Hydrocarbon refrigerant, 1/2 HP, 115v/60/1-ph, 2.4 amps, cord with NEMA 5-20P, cETLus, ETL-Sanitation



**ICE CREAM NOVELTY MERCHANDISER**  
Blue Air FSE LLC  
Model BCF80-HC

**\$2,000.25 ea**

Ice Cream Merchandiser/Chest Freezer, 79-3/4"W x 29-5/8"D x 33-1/8"H, bottom mounted self-contained refrigeration, 24.72 cu. ft., digital temperature controls, temperature range -10°- 0°F, (2) locking sliding tempered glass doors, (6) epoxy coated white baskets, LED interior lighting, manual defrosting, drain hole, painted galvanized exterior, aluminum interior, casters, R290 Hydrocarbon refrigerant, 3/4 HP, 3.8 amps, 115v/60/1-ph, cord, NEMA 5-20P, cETLus, ETL-Sanitation



**CHEST FREEZER**  
Atosa USA, Inc.  
Model MWF9010GR

**\$513.50 ea**

Atosa Chest Freezer, 40-1/2"W x 26-1/2"D x 32-1/2"H, side-mounted self-contained refrigeration, 9.6 cu. ft., locking solid hinged lid, epoxy coated white baskets, temperature range -10° to -1°F, white coated steel exterior, white coated aluminum interior, defrost drain, 1" casters, R600a refrigerant, 173 watts, 1/5 HP, 115v/60/1-ph, 1.5 amp, cETLus, ETL-Sanitation



**HEATED HOLDING PROOFING CABINET, MOBILE**  
COZOC Group Inc.  
Model HPC7011-C9F9

**\$2,073.50 ea**

Heated/Proofer Cabinet, mobile, full height, non-insulated, 23-3/10"W x 32"D x 66-3/5"H, (16) 18" x 26", 12" x 20", 16" x 20", 13" x 18" or 14" x 18" pan capacity, accommodates hotel pans, adjustable digital controls, LED temperature display, holding temperature up to 185°F, base water pan, clear polycarbonate door with zinc alloy magnetic handle, corner bumpers, aluminum construction, 5" casters (2 locking), 120v/60/1-ph, 1500 watts, ETL



**CABINET, COOK / HOLD / OVEN**  
Alto-Shaam  
Model 1000-TH/II

**\$6,760.80 ea**

Halo Heat® Slo Cook & Hold Oven, electric, low-temperature, 120 lb. capacity each - (8) full-size sheet pans, (3) stainless steel wire shelves, simple controls with ON/OFF power switch, heavy-duty stainless steel construction, 3-1/2" casters; 2 rigid, 2 swivel with brakes, EcoSmart®, cULus, NSF, CE, IPX3, TUV NORD, EAC, N11942



**PIZZA BAKE OVEN, DECK-TYPE, ELECTRIC**  
Serv-Ware  
Model EPO-02

**\$132.00 ea**

Pizza Oven, electric, countertop, 2-1/2"H opening & 13-1/2" rack accommodates up to 12" diameter pizza or other food, lower & upper heating elements, thermostat pre-set at 450 degrees, 30 minute timer, removable crumb tray, stainless steel exterior, 1450 watts, 120v, 12 amps, cord, plug, ETL



**PIZZA PREPARATION REFRIGERATOR**  
**Blue Air FSE LLC**  
**Model BAPP93-HC**

Pizza Prep Table, three-section, 93-1/4"W, 30.8 cu. ft. capacity, side-mounted self-contained refrigeration, (3) full self-closing doors, (6) adjustable wire shelves, accommodates (12) 1/3 size pans, insulated pan cover with stainless steel divider, 33°-39°F temperature range, 19"D cutting board, stainless steel interior & exterior, 4"H swivel casters (2 braked), R290 Hydrocarbon refrigerant, 3/8 HP, 115v/60/1-ph, 3.5 amps, cord, NEMA 5-15P, cUL, UL, ETL-Sanitation



**\$7,289.00 ea**

**REFRIGERATED MERCHANDISER**  
**Blue Air FSE LLC**  
**Model BKGM23B-HC**

Refrigerated Merchandiser, one-section, 23 Cu. Ft. capacity, bottom-mount self-contained refrigeration, (1) double pane hinged glass door (locking), (4) adjustable epoxy coated wire shelves, LED interior lighting, backlit graphic panel, digital monitoring system, black painted steel exterior and trim, white painted steel interior, (4) 2-1/2" casters (2 braked), R290 Hydrocarbon refrigerant, 1/7 HP, 115v/60/1-ph, 2.1 amps, cord, NEMA 5-15P, cETLus, ETL-Sanitation



**\$2,622.00 ea**

**REFRIGERATED MERCHANDISER**  
**Blue Air FSE LLC**  
**Model BKGM48SLB-HC**

Refrigerated Merchandiser, one-section, 44.85 Cu. Ft. capacity, bottom-mount self-contained refrigeration, (2) double pane sliding glass doors (locking), (8) adjustable epoxy coated wire shelves, LED interior lighting, backlit graphic panel, digital monitoring system, black painted steel exterior and trim, white painted steel interior, (4) 2-1/2" casters (2 braked), R290 Hydrocarbon refrigerant, 1/4 HP, 115v/60/1-ph, 4.2 amps, cord, NEMA 5-15P, cETLus, ETL-Sanitation



**\$3,761.00 ea**

**REFRIGERATED MERCHANDISER**  
**Blue Air FSE LLC**  
**Model BKGM49B-HC**

Refrigerated Merchandiser, two-section, 49 Cu. Ft. capacity, bottom-mount self-contained refrigeration, (2) double pane hinged glass doors (locking), (8) adjustable epoxy coated wire shelves, LED interior lighting, backlit graphic panel, digital monitoring system, black painted steel exterior and trim, white painted steel interior, (4) 2-1/2" casters (2 braked), R290 Hydrocarbon refrigerant, 1/7 HP, 115v/60/1-ph, 3.2 amps, cord, NEMA 5-15P, cETLus, ETL-Sanitation



**\$3,761.00 ea**

**SANDWICH / SALAD PREPARATION REFRIGERATOR**  
**Blue Air FSE LLC**  
**Model BLPT60-D4-HC**

Sandwich Prep Table, two-section, 60-3/8"W, 16.7 cu. ft. capacity, rear-mounted self-contained refrigeration, (16) 1/6 size pan capacity (included), (4) drawers, 9-1/2" cutting board, side rail cutting board bracket, 33° F to 39° F temperature range, insulated pan cover with stainless steel divider, self-diagnostic digital controls & monitor system, stainless steel interior, stainless steel exterior (galvanized steel back & bottom), (4) 4" swivel casters (2 braked), R290 Hydrocarbon refrigerant, 1/4 HP, 115v/60/1-ph, 5.0 amps, cord with NEMA 5-15P, cETLus, ETL-Sanitation



**\$3,560.00 ea**

**ICE MAKER, CUBE-STYLE**  
**Maxximum**  
**Model MIM452**

Maxx Ice Modular Ice Maker, cube-style (full dice), air-cooled, self-contained condenser, automatic cleaning, approximately 460 lb. production/24 hours, on/off switch, vertical evaporator, stainless steel exterior, R404a refrigerant, ETL-Sanitation, cULus Classified, CE, ENERGY STAR®



**\$4,305.00 ea**

**ICE MAKER WITH BIN, CUBE-STYLE**  
**Maxximum**  
**Model MIM250**

Maxx Ice Ice Maker With Bin, cube-style (full dice), air-cooled, self-contained condense, approximately 260 lb. production/24 hours, 75 lb. built-in storage capacity, slab cube ice type, polyethylene storage bin liner, stainless steel construction, R404a refrigerant, NSF, UL



**\$2,576.00 ea**

**CONVECTION OVEN, GAS**  
**Duke Manufacturing**  
**Model E101-G**

Convection Oven, gas, single-deck, standard depth, thermostatic controls, with 26" high legs, stainless steel front, painted cabinet, NSF, CSA STAR, CSA FLAME, ENERGY STAR®



**\$4,689.00 ea**

**PANINI GRILL**  
**Eurodib USA**  
**Model SFE02345-120**

Panini Machine, single, ribbed top & bottom, 14" x 10" heavy duty cast iron cooking plate, (1) adjustable thermostat up to 572°F, removable grease tray, non-slip feet, stainless steel construction, 120v/60/1-ph, 1800 watt, 15 amps, NEMA 5-20P, NSF, cULus



**\$493.75 ea**

**PLANETARY MIXER**  
**Eurodib USA**  
**Model M10ETL**

Planetary Mixer, 10 quart capacity, 3 speeds, gear driven, stainless steel bowl, whip, hook & beater, painted cast iron base, 0.7 HP, 600 watts, 110v/60/1-ph, 6 amps, NEMA 5-15P, cETLus (not recommended for pizza, pita dough or any equivalent product)



**\$1,106.25 ea**

**GAS FLOOR FRYER**  
**Atosa USA, Inc.**  
**Model ATFS-40**

CookRite Fryer, gas, floor model, 15-3/5"W x 30-1/10"D x 44-2/5"H, 40 lb. capacity, (3) burners, milivolt control, 200°F-400°F temperature range, (2) nickel plated baskets with coated handles, basket hanger, oil cooling zone seated in the bottom of the tank, stainless steel structure, (4) casters, cETLus, ETL-Sanitation



**\$1,208.00 ea**

**PLANETARY MIXER**  
**Eurodib USA**  
**Model M20ETL**

Planetary Mixer, 20 quart capacity, with #12 hub meat grinder, 3 speeds, gear driven, stainless steel bowl, whip, hook & beater, painted cast iron base, 1-1/2 HP, 1100 watt, 110v/60/1-ph, 9 amps, NEMA 5-15P, cETLus (not recommended for pizza, pita dough or any equivalent product)



**\$1,493.75 ea**

**PIZZA PREPARATION REFRIGERATOR**  
**Blue Air FSE LLC**  
**Model BAPP67-HC**

Pizza Prep Table, two-section, 67"W, 20.2 cu. ft. capacity, side-mounted self-contained refrigeration, (2) full doors, (4) adjustable wire shelves, accommodates (9) 1/3 size pans, insulated pan cover with stainless steel divider, 33°-39°F temperature range, 19"D cutting board, stainless steel interior & exterior, 4"H swivel casters (2 braked), R290 Hydrocarbon refrigerant, 3/8 HP, 115v/60/1-ph, 3.5 amps, cord, NEMA 5-15P, cUL, UL, ETL-Sanitation



**\$5,173.91 ea**

**FOOD PACKAGING MACHINE**  
**Eurodib USA**  
**Model DIABLO 12**

Diablo Vacuum Packaging Machine, electric, countertop unit, 13.8"W x 11.8"D x 3"H chamber, 12" sealing bar, 8 m<sup>3</sup>/h pump speed, (1) time based program with marinating function, stainless steel, 950 watts, 120v/60/1-ph, 7.9 amps, cord, NEMA 5-15P, cETLus



**\$1,273.75 ea**

**REACH-IN REFRIGERATOR**  
**Blue Air FSE LLC**  
**Model BSR23-HC**

Refrigerator, reach-in, one-section, 23 cu. ft. capacity, bottom-mount self-contained refrigeration, (1) locking solid door, door open alarm, (4) adjustable wire shelves, digital controls, LED interior lighting, stainless steel interior & exterior, 4" swivel casters (2 braked), R290 Hydrocarbon refrigerant, 1/4 HP, 115v/60/1-ph, 2.0 amps, cord with NEMA 5-15P, cETLus, ETL-Sanitation, ENERGY STAR®



**\$2,768.86 ea**

**REACH-IN REFRIGERATOR**  
**Blue Air FSE LLC**  
**Model BSR49-HC**

Refrigerator, reach-in, two-section, 49 cu. ft. capacity, bottom-mount self-contained refrigeration, (2) full-size self-closing solid doors (locking), metal door handles, door open alarm, (8) adjustable wire shelves, digital controls, LED interior lighting, stainless steel interior & exterior, 4" swivel casters (2 braked), R290 Hydrocarbon refrigerant, 1/4 HP, 115v/60/1-ph, 2.4 amps, cord with NEMA 5-15P, cETLus, ETL-Sanitation, ENERGY STAR®



**\$3,853.98 ea**

**REACH-IN FREEZER**  
**Blue Air FSE LLC**  
**Model BSF23-HC**

**\$3,295.89 ea**

Freezer, reach-in, one-section, 23 cu. ft. capacity, bottom-mount self-contained refrigeration, (1) full-size solid self-closing door, metal door handle, (4) adjustable wire shelves, digital controls, LED interior lighting, stainless steel interior & exterior, 4" swivel casters (2 braked), R290 Hydrocarbon refrigerant, 1/2 HP, 115v/60/1-ph, 5.6 amps, cord with NEMA 5-15P, cETLus, ETL-Sanitation, ENERGY STAR®



**REACH-IN FREEZER**  
**Blue Air FSE LLC**  
**Model BSF49-HC**

**\$4,936.95 ea**

Freezer, reach-in, two-section, 49 cu. ft. capacity, bottom-mount self-contained refrigeration, (2) full-size solid self-closing doors (locking), metal door handles, door open alarm, (8) adjustable wire shelves, digital controls, LED interior lighting, stainless steel interior & exterior, 4" swivel casters (2 braked), R290 Hydrocarbon refrigerant, 1/2 HP, 115v/60/1-ph, 6.6 amps, cord with NEMA 5-15P, cETLus, ETL-Sanitation, ENERGY STAR®



**REACH-IN REFRIGERATOR**  
**Atosa USA, Inc.**  
**Model MBF8505GR**

**\$2,332.00 ea**

Atosa Refrigerator, reach-in, one-section, 27"W x 31-7/10"D x 83-1/10"H, bottom-mount self-contained refrigeration, 19.1 cu. ft., (1) locking right hinged solid door, digital temperature control, 33° to 40°F temperature range, (3) adjustable shelves, interior LED lighting, automatic evaporation, air defrost, stainless steel interior & exterior, galvanized steel back, 4" casters, R290 Hydrocarbon refrigerant, 1/7 HP, 115v/60/1-ph, 2.1 amps, cord with NEMA 5-15P, cETLus, ETL-Sanitation, ENERGY STAR®



**REACH-IN REFRIGERATOR**  
**Atosa USA, Inc.**  
**Model MBF8507GR**

**\$3,249.00 ea**

Atosa Refrigerator, reach-in, two-section, 54-2/5"W x 31-7/10"D x 83-1/10"H, bottom-mount self-contained refrigeration, 46.77 cu. ft., (2) locking hinged solid doors, digital temperature control, 33° to 40°F temperature range, (6) adjustable shelves, interior LED lighting, automatic evaporation, air defrost, stainless steel interior & exterior, galvanized steel back, 4" casters, R290 Hydrocarbon refrigerant, 1/5 HP, 115v/60/1-ph, 3.2 amps, cord with NEMA 5-15P, cETLus, ETL-Sanitation, ENERGY STAR®



**REACH-IN FREEZER**  
**Atosa USA, Inc.**  
**Model MBF8501GR**

**\$2,826.00 ea**

Atosa Freezer, reach-in, one-section, 27"W x 31-7/10"D x 83-1/10"H, bottom-mount self-contained refrigeration, 19.1 cu. ft., (1) locking right hinged solid door, digital temperature control, -8° to 0°F temperature range, (3) adjustable shelves, interior LED lighting, automatic evaporation, electric defrost, stainless steel interior & exterior, galvanized steel back, 4" casters, R290 Hydrocarbon refrigerant, 1/2 HP, 115v/60/1-ph, 6.3 amps, cord with NEMA 5-15P, cETLus, ETL-Sanitation



**REACH-IN FREEZER**  
**Atosa USA, Inc.**  
**Model MBF8503GR**

**\$4,164.00 ea**

Atosa Freezer, reach-in, two-section, 54-2/5"W x 31-7/10"D x 83-1/10"H, bottom-mount self-contained refrigeration, 44.77 cu. ft., (2) locking hinged solid doors, digital temperature control, -8° to 0°F temperature range, (6) adjustable shelves, interior LED lighting, automatic evaporation, electric defrost, stainless steel interior & exterior, galvanized steel back, 4" casters, R290 Hydrocarbon refrigerant, 3/4 HP, 115v/60/1-ph, 8.6 amps, cord with NEMA 5-15P, cETLus, ETL-Sanitation, ENERGY STAR®



**MEGA TOP SANDWICH / SALAD PREPARATION REFRIGERATOR**  
**Blue Air FSE LLC**  
**Model BLMT48-HC**

**\$3,348.71 ea**

Mega Top Sandwich Prep Table, two-section, 48-3/8"W, 13.1 cu. ft. capacity, rear-mounted self-contained refrigeration, (18) 1/6 size pan capacity (included), (2) self-closing swing doors, (2) adjustable wire shelves, 9-1/2" cutting board, side rail cutting board bracket, 33° F to 39° F temperature range, insulated pan cover with stainless steel divider, stainless steel interior & exterior, (4) 4" swivel casters (2 braked), R290 Hydrocarbon refrigerant, 1/4 HP, 115v/60/1-ph, 4.7 amps, cord with NEMA 5-15P, cETLus, ETL-Sanitation



**SANDWICH / SALAD PREPARATION REFRIGERATOR**  
**Blue Air FSE LLC**  
**Model BLPT28-HC**

**\$2,008.23 ea**

Sandwich Prep Table, one-section, 27-1/2"W, 7.0 cu. ft. capacity, rear-mounted self-contained refrigeration, (6) 1/6 & (2) 1/9 size pan capacity (included), (1) self-closing swing door, (1) adjustable wire shelf, 9-1/2" cutting board, side rail cutting board bracket, 33° F to 39° F temperature range, insulated pan cover with stainless steel divider, digital controls, stainless steel interior & exterior, (4) 4" swivel casters (2 braked), R290 Hydrocarbon refrigerant, 1/4 HP, 115v/60/1-ph, 4.0 amps, cord with NEMA 5-15P, cETLus, ETL-Sanitation





# May 2023

## SANDWICH / SALAD PREPARATION REFRIGERATOR

Blue Air FSE LLC  
Model BLPT36-HC

**\$2,678.39 ea**

Sandwich Prep Table, two-section, 36-3/8"W, 9.5 cu. ft. capacity, rear-mounted self-contained refrigeration, (10) 1/6 size pan capacity (included), (2) self-closing swing doors, (2) adjustable wire shelves, 9-1/2" cutting board, side rail cutting board bracket, 33° F to 39° F temperature range, insulated pan cover with stainless steel divider, digital controls, stainless steel interior & exterior, (4) 4" swivel casters (2 braked), R290 Hydrocarbon refrigerant, 1/4 HP, 115v/60/1-ph, 4.1 amps, cord with NEMA 5-15P, cETLus, ETL-Sanitation



## SANDWICH / SALAD PREPARATION REFRIGERATOR

Blue Air FSE LLC  
Model BLPT48-HC

**\$2,861.33 ea**

Sandwich Prep Table, two-section, 48-3/8"W, 13.1 cu. ft. capacity, rear-mounted self-contained refrigeration, (12) 1/6 size pan capacity (included), (2) self-closing swing doors, (2) adjustable wire shelves, 9-1/2" cutting board, side rail cutting board bracket, 33° F to 39° F temperature range, insulated pan cover with stainless steel divider, digital controls, stainless steel interior & exterior, (4) 4" swivel casters (2 braked), R290 Hydrocarbon refrigerant, 1/4 HP, 115v/60/1-ph, 4.5 amps, cord with NEMA 5-15P, cETLus, ETL-Sanitation



## SANDWICH / SALAD PREPARATION REFRIGERATOR

Blue Air FSE LLC  
Model BLPT60-HC

**\$3,294.11 ea**

Sandwich Prep Table, two-section, 60-3/8"W, 16.7 cu. ft. capacity, rear-mounted self-contained refrigeration, (16) 1/6 size pan capacity (included), (2) self-closing swing doors, (2) adjustable wire shelves, 9-1/2" cutting board, side rail cutting board bracket, 33° F to 39° F temperature range, insulated pan cover with stainless steel divider, digital controls, stainless steel interior & exterior, (4) 4" swivel casters (2 braked), R290 Hydrocarbon refrigerant, 1/4 HP, 115v/60/1-ph, 4.7 amps, cord with NEMA 5-15P, cETLus, ETL-Sanitation



## ICE MAKER, CUBE-STYLE

Koolaire  
Model KYT0700A

**\$5,208.23 ea**

Ice Kube Machine, cube style, air-cooled, self-contained condenser, 30" W, production capacity up to 740 lb/24 hours at 70°/50° (580 lb AHRI certified at 90°/70°), one-touch cleaning, water shield, smudge & fingerprint resistant, Alpha San anti-microbial protection, stainless like finish, half-dice size cubes, R410a refrigerant, NSF, cULus, CE, ENERGY STAR® (replaces KY-0600A) (contact factory for availability)



## SANDWICH / SALAD PREPARATION REFRIGERATOR

Blue Air FSE LLC  
Model BLPT72-HC

**\$3,852.72 ea**

Sandwich Prep Table, three-section, 72-3/8"W, 20.2 cu. ft. capacity, rear-mounted self-contained refrigeration, (18) 1/6 size pan capacity (included), (3) self-closing swing doors, (3) adjustable wire shelves, 9-1/2" cutting board, side rail cutting board bracket, 33° F to 39° F temperature range, insulated pan cover with stainless steel divider, digital controls, stainless steel interior & exterior, (4) 4" swivel casters (2 braked), R290 Hydrocarbon refrigerant, 1/4 HP, 115v/60/1-ph, 5.3 amps, cord with NEMA 5-15P, cETLus, ETL-Sanitation



## CONVECTION OVEN, ELECTRIC

Royal Range of California  
Model RECO-1

**\$6,417.00 ea**

Convection Oven, electric, single-deck, standard depth, accommodates full size sheet pans, electric thermostat adjustable from 150-500°F, (5) chrome plated racks standard with (11) positions, porcelain coated interior, dual stainless steel doors with glass viewing window on right, stainless steel front, sides & top, 9.0kW, cCSAus, CSA-Sanitation, Made in USA



**To Order Contact:**

Jim Sorensen - [jimsorensen@ulfoods.com](mailto:jimsorensen@ulfoods.com)

• FAMILY-OWNED AND OPERATED •  
**UPPER LAKES FOODS**  
EST 1967