

November EQUIPMENT Flyer

REACH-IN REFRIGERATOR Blue Air FSE LLC Model BSR49G-HC

Refrigerator, reach-in, two-section, 49 cu. ft. capacity, bottom-mount self-contained refrigeration, (2) fullsize self-closing glass doors (locking), door open alarm, (8) adjustable wire shelves, digital controls, LED interior lighting, stainless steel interior & exterior, 4" swivel casters (2 braked), R290 Hydrocarbon refrigerant, 1/2 HP, 115v/60/1-ph, 5.6 amps, cord with NEMA 5-15P, cETLus, ETL-Sanitation

\$4,535.00 ea



REACH-IN FREEZER True Mfg. - General Foodservice Model T-49F-HC

\$6,998.20 ea



REACH-IN REFRIGERATOR True Mfg. - General Foodservice Model T-49-HC

Refrigerator, reach-in, two-section, (2) stainless steel doors, (6) PVC coated adjustable wire shelves, interior lighting, stainless steel front, aluminum sides, aluminum interior with stainless steel floor, 4" castors, R290 Hydrocarbon refrigerant, 1/2 HP, 115v/60/1-ph, 5.4 amps, NEMA 5-15P, cULus, UL EPH Classified, Made in USA, ENERGY STAR®

ICE CREAM NOVELTY MERCHANDISER Blue Air FSE LLC Model BCF80-HC

Ice Cream Merchandiser/Chest Freezer, 79-3/4"W x 29-5/8"D x 33-1/8"H, bottom mounted self-contained refrigeration, 24.72 cu. ft., digital temperature controls, temperature range -10°- 0°F, (2) locking sliding tempered glass doors, (6) epoxy coated white baskets, LED interior lighting, manual defrosting, drain hole, painted galvanized exterior, aluminum interior, casters, R290 Hydrocarbon refrigerant, 3/4 HP, 3.8 amps, 115v/60/1-ph, cord, NEMA 5-20P, cETLus, ETL-Sanitation





ICE CREAM NOVELTY MERCHANDISER Blue Air FSE LLC Model BCF56-HC

\$1,657.50 ea

Ice Cream Merchandiser/Chest Freezer, 56-1/8"W x 29-5/8"D x 33-1/8"H, bottom mounted self-contained refrigeration, 17.66 cu. ft., digital temperature controls, temperature range -10° F $\sim -0^{\circ}$ F, (2) locking sliding tempered glass doors, (4) epoxy coated white baskets, LED interior lighting, manual defrosting, drain hole, painted galvanized exterior, aluminum interior, casters, R290 Hydrocarbon refrigerant, 1/2 HP, 115v/60/1-ph, 2.4 amps, cord with NEMA 5-20P, cETLus, ETL-Sanitation

GRIDDLE, ELECTRIC, COUNTERTOP Star Model 536TGF

Star-Max[®] Heavy Duty Griddle, electric, countertop, 36" W x 20-3/4" D cooking surface, 1" thick polished steel griddle plate, 150°-450°F snapaction thermostat and 4000 watt element every 12", welded steel frame with stainless steel top and front, splash guard & grease trough, aluminized steel sides, chrome metal knobs, grease drawer, 4" steel legs, cULus, UL EPH Classified, CSA, Made in USA



\$3,507.50 ea







CONVEYOR TOASTER Star Model QCS1-350

Holman QCS[®] Conveyor Toaster, electric, 350 slices/hr., horizontal conveyor, analog speed control, standby switch, top & bottom guartz sheathed heater elements, 1-1/2" opening x 10" W belt (2 slices) with loading rack, stainless steel construction with smooth cool touch exterior, cULus, UL **EPH** Classified



\$1,121.25 ea

ELECTRIC COUNTERTOP FRYER Star Model 530TF

(QUICK-SHIP) Star-Max[®] Fryer, electric, countertop, (2) stainless steel frypots, 15 lb. capacity per frypot, single basket per frypot, snap action thermostats with hi-limit safety, separate on/off switch, heavy duty knobs, stainless steel exterior, 4" legs, cULus, UL EPH Classified, Made in USA

REACH-IN UNDERCOUNTER FREEZER

Perlick Corporation

Model HC24FS4S-00-BLFLR

\$2,679.50 ea



WINE CELLAR CABINET **Perlick Corporation** Model HB24WS4

ADA Series Wine Reserve, undercounter, 23-7/8"W x 24"D, selfcontained refrigeration, 40° to 68°F temperature range, (4.8) cu. ft. interior capacity, (1) hinged door, digital thermostat & control, LED interior lighting, front vented, automatic defrost, galvanized back & base, stainless steel top, sides, & interior, R600a, 115v/60/1-ph, 1.6 amps, NEMA 5-15P, ETL-Sanitation, cULus, ADA Compliant

SHORTENING DISPOSAL CADDY **Copper Beech Range** Model CBOD-100

Fryer Oil Disposal Unit, mobile, manual, 21" x 37" x 50"H, empty 100 lb. of oil in less than 2 minutes, 9-5/8" drain height with the cover open, 6" heavy duty wheels (SDUs are for oil only. Do not run water or boilout solution through the unit)

PLANETARY MIXER

Primo Commercial Planetary

Mixer, 10 quart bench model,

#12 power drive hub, side

bowl guard & wire whip,

hook, 0.60 HP, cETLus, ETL-

capacity, (3) speed gear driven,

mounted start, silent operation,

includes: stainless steel bowl,

aluminum flat beater & dough

MVP Group LLC

Model PM-10

Sanitation



\$493.75 ea

PLANETARY MIXER **MVP Group LLC** Model AX-M12

Axis Commercial Planetary Mixer, 12 quart capacity, countertop, gear driven, (3) speed controls, side mounted controls, silent operation, digital 30-minute timer, includes: stainless steel bowl & bowl guard, wire whip, aluminum flat beater & dough hook, 0.5 HP, ETL-Sanitation, cETLus



C-Series Chiller, undercounter, 23-7/8"W x 24"D, self-contained refrigeration, -10°F to 10°F temperature range, (5.3) cu. ft. interior volume, (1) solid black vinyl door hinged left with lock, digital thermostat & control, LED interior lighting, (2) black vinyl-coated full extension shelves (adjustable) & (1) black-vinyl coated floor rack, front vented, selfevaporating condensate pan, automatic defrost cycle, galvanized back & base, stainless steel top, sides, & interior, R600a, 115v/60/1-ph, 2.4 amps, NEMA 5-15P, NSF, cULus, ETL-Sanitation (Quick Ship)

SHORTENING DISPOSAL CADDY **Copper Beech Range** Model CBOD-50

Fryer Oil Disposal Unit, mobile, manual, 15-3/8" x 32" x 48"H, empty 50 lb. of oil in less than 60 seconds, 9-5/8" drain height with the cover open, 6" heavy duty wheels (SDUs are for oil only. Do not run water or boilout solution through the unit)

\$870.00 ea



\$937.50 ea



\$1,074.00 ea

\$1,194.00 ea



CABINET, COOK / HOLD / OVEN Alto-Shaam Model 1000-TH/II

Halo Heat[®] Slo Cook & Hold Oven, electric, low-temperature, 120 lb. capacity each - (8) fullsize sheet pans, (3) stainless steel wire shelves, simple controls with ON/OFF power switch, heavy-duty stainless steel construction, 3-1/2" casters; 2 rigid, 2 swivel with brakes, EcoSmart[®], cULus, NSF, CE, IPX3, TUV NORD, EAC, N11942

REFRIGERATED MERCHANDISER Blue Air FSE LLC Model BKGM23B-HC

Refrigerated Merchandiser, one-section, 23 Cu. Ft. capacity, bottom-mount selfcontained refrigeration, (1) double pane hinged glass door (locking), (4) adjustable epoxy coated wire shelves, LED interior lighting, backlit graphic panel, digital monitoring system, black painted steel exterior and trim, white painted steel interior, (4) 2-1/2" casters (2 braked), R290 Hydrocarbon refrigerant, 1/7 HP, 115v/60/1-ph, 2.1 amps, cord, NEMA 5-15P, cETLus, ETL-Sanitation

REFRIGERATED MERCHANDISER Blue Air FSE LLC Model BKGM49B-HC

Refrigerated Merchandiser, two-section, 49 Cu. Ft. capacity, bottom-mount selfcontained refrigeration, (2) double pane hinged glass doors (locking), (8) adjustable epoxy coated wire shelves, LED interior lighting, backlit graphic panel, digital monitoring system, black painted steel exterior and trim, white painted steel interior, (4) 2-1/2" casters (2 braked), R290 Hydrocarbon refrigerant, 1/7 HP, 115v/60/1-ph, 3.2 amps, cord, NEMA 5-15P, cETLus, ETL-Sanitation

ICE MAKER WITH BIN, CUBE-STYLE Maxximum Model MIM250

Maxx Ice Ice Maker With Bin, cube-style (full dice), aircooled, self-contained condense, approximately 260 lb. production/24 hours, 75 lb. built-in storage capacity, slab cube ice type, polyethylene storage bin liner, stainless steel construction, R404a refrigerant, NSF, UL

\$3,761.00 ea

\$6,760.80 ea

\$2,622.00 ea



\$2,576.00 ea



PIZZA PREPARATION REFRIGERATOR Blue Air FSE LLC Model BAPP93-HC

Pizza Prep Table, three-section, 93-1/4"W, 30.8 cu. ft. capacity, side-mounted selfcontained refrigeration, (3) full self-closing doors, (6) adjustable wire shelves, accommodates (12) 1/3 size pans, insulated pan cover with stainless steel divider, 33°-39°F temperature range, 19"D cutting board, stainless steel interior & exterior, 4"H swivel casters (2 braked), R290 Hydrocarbon refrigerant, 3/8 HP, 115v/60/1-ph, 3.5 amps, cord, NEMA 5-15P, cUL, UL, ETL-Sanitation



REFRIGERATED MERCHANDISER Blue Air FSE LLC Model BKGM48SLB-HC

\$3,761.00 ea



ICE MAKER, CUBE-STYLE Maxximum Model MIM452

Maxx Ice Modular Ice Maker, cube-style (full dice), aircooled, self-contained condenser, automatic cleaning, approximately 460 lb. production/24 hours, on/off switch, vertical evaporator, stainless steel exterior, R404a refrigerant, ETL-Sanitation, cULus Classified, CE, ENERGY STAR®



CONVECTION OVEN, GAS Duke Manufacturing Model E101-G

Convection Oven, gas, singledeck, standard depth, thermostatic controls, with 26" high legs, stainless steel front, painted cabinet, NSF, CSA STAR, CSA FLAME, ENERGY STAR® \$4,689.00 ea

\$4,305.00 ea



\$7,289.00 ea

PLANETARY MIXER **Eurodib USA** Model M20ETL

Planetary Mixer, 20 quart capacity, with #12 hub meat grinder, 3 speeds, gear driven, stainless steel bowl, whip, hook & beater, painted cast iron base, 1-1/2 HP, 1100 watt, 110v/60/1-ph, 9 amps, NEMA 5-15P, cETLus (not recommended for pizza, pita dough or any equivalent product)

\$1,493.75 ea



FOOD PACKAGING MACHINE **Eurodib USA** Model DIABLO 12

Diablo Vacuum Packaging Machine, electric, countertop unit, 13.8"W x 11.8"D x 3"H chamber, 12" sealing bar, 8 m³h pump speed, (1) time based program with marinating function, stainless steel, 950 watts, 120v/60/1-ph, 7.9 amps, cord, NEMA 5-15P, cETLus

PIZZA PREPARATION REFRIGERATOR

Pizza Prep Table, two-section, 67"W, 20.2

contained refrigeration, (2) full doors, (4)

1/3 size pans, insulated pan cover with

temperature range, 19"D cutting board,

casters (2 braked), R290 Hydrocarbon

refrigerant, 3/8 HP, 115v/60/1-ph, 3.5

amps, cord, NEMA 5-15P, cUL, UL, ETL-

cu. ft. capacity, side-mounted self-

stainless steel divider, 33°-39°F

Blue Air FSE LLC

Model BAPP67-HC



GAS FLOOR FRYER Atosa USA, Inc. Model ATFS-40

CookRite Fryer, gas, floor model, 15-3/5"W x 30-1/10"D x 44-2/5"H, 40 lb. capacity, (3) burners, milivolt control, 200°F-400°F temperature range, , (2) nickel plated baskets with coated handles, basket hanger, oil cooling zone seated in the bottom of the tank, stainless steel structure, (4) casters, cETLus, ETL-Sanitation

REACH-IN REFRIGERATOR Blue Air FSE LLC Model BSR23-HC

Refrigerator, reach-in, one-section, 23 cu. ft. capacity, bottom-mount self-contained refrigeration, (1)locking solid door, door open alarm, (4) adjustable wire shelves, digital controls, LED interior lighting, stainless steel interior & exterior, 4" swivel casters (2 braked), R290 Hydrocarbon refrigerant, 1/4 HP, 115v/60/1-ph, 2.0 amps, cord with NEMA 5-15P, cETLus, ETL-Sanitation, **ENERGY STAR®**

REACH-IN FREEZER Blue Air FSE LLC Model BSF23-HC

Freezer, reach-in, one-section, 23 cu. ft. capacity, bottom-mount selfcontained refrigeration, (1) full-size solid self-closing door, metal door handle, (4) adjustable wire shelves, digital controls, LED interior lighting, stainless steel interior & exterior, 4" swivel casters (2 braked), R290 Hydrocarbon refrigerant, 1/2 HP, 115v/60/1-ph, 5.6 amps, cord with NEMA 5-15P, cETLus, ETL-Sanitation, **ENERGY STAR®**

\$1,208.00 ea



\$2,768.86 ea



\$3,295.89 ea

Blue Air FSE LLC Model BSR49-HC

REACH-IN REFRIGERATOR

Sanitation

Refrigerator, reach-in, two-section, 49 cu. ft. capacity, bottom-mount self-contained refrigeration, (2) full-size self-closing solid doors (locking), metal door handles, door open alarm, (8) adjustable wire shelves, digital controls, LED interior lighting, stainless steel interior & exterior, 4" swivel casters (2 braked), R290 Hydrocarbon refrigerant, 1/4 HP, 115v/60/1-ph, 2.4 amps, cord with NEMA 5-15P, cETLus, ETL-Sanitation, ENERGY STAR®

\$3,853.98 ea



REACH-IN FREEZER Blue Air FSE LLC Model BSF49-HC

Freezer, reach-in, two-section, 49 cu. ft. capacity, bottom-mount self-contained refrigeration, (2) full-size solid self-closing doors (locking), metal door handles, door open alarm, (8) adjustable wire shelves, digital controls, LED interior lighting, stainless steel interior & exterior, 4" swivel casters (2 braked), R290 Hydrocarbon refrigerant, 1/2 HP, 115v/60/1-ph, 6.6 amps, cord with NEMA 5-15P, cETLus, ETL-Sanitation, ENERGY STAR®

\$4,936.95 ea



\$1,273.75 ea

\$5,173.91 ea





REACH-IN REFRIGERATOR Atosa USA, Inc. Model MBF8505GR

Atosa Refrigerator, reach-in, one-section, 27"W x 31-7/10"D x 83-1/10"H, bottom-mount selfcontained refrigeration, 19.1 cu. ft., (1) locking right hinged solid door, digital temperature control, 33° to 40°F temperature range, (3) adjustable shelves, interior LED lighting, automatic evaporation, air defrost, stainless steel interior & exterior, galvanized steel back, 4" casters, R290 Hydrocarbon refrigerant, 1/7 HP, 115v/60/1-ph, 2.1 amps, cord with NEMA 5-15P, cETLus, ETL-Sanitation, ENERGY STAR®

REACH-IN FREEZER Atosa USA, Inc. Model MBF8501GR

Atosa Freezer, reach-in, one-section, 27"W x 31-7/10"D x 83-1/10"H, bottom-mount self-contained refrigeration, 19.1 cu. ft., (1) locking right hinged solid door, digital temperature control, -8° to 0°F temperature range, (3) adjustable shelves, interior LED lighting, automatic evaporation, electric defrost, stainless steel interior & exterior, galvanized steel back, 4" casters, R290 Hydrocarbon refrigerant, 1/2 HP, 115v/60/1-ph, 6.3 amps, cord with NEMA 5-15P, cETLus, ETL-Sanitation

RANGE, 60", 6 BURNERS, 24" GRIDDLE Vulcan Model 60SS-6B24GT

Endurance[™] Restaurant Range, gas, 60", (6) 30,000 BTU burners with lift-off burner heads, (1) 24" thermostatic griddle, 3/4" thick, 4" wide front grease trough, (2) standard oven bases, stainless steel front, sides, backriser & high shelf, fully MIG welded frame, 6" adjustable legs, 278,000 BTU, CSA Flame, CSA Star, NSF



SANDWICH / SALAD PREPARATION REFRIGERATOR **Blue Air FSE LLC** \$2,008.23 ea Model BLPT28-HC

Sandwich Prep Table, one-section, 27-1/2"W, 7.0 cu. ft. capacity, rear-mounted selfcontained refrigeration, (6) 1/6 & (2) 1/9 size pan capacity (included), (1) self-closing swing door, (1) adjustable wire shelf, 9-1/2" cutting board, side rail cutting board bracket, 33° F to 39° F temperature range, insulated pan cover with stainless steel divider, digital controls, stainless steel interior & exterior, (4) 4" swivel casters (2 braked), R290 Hydrocarbon refrigerant, 1/4 HP, 115v/60/1-ph, 4.0 amps, cord with NEMA 5-15P, cETLus, ETL-Sanitation

REACH-IN REFRIGERATOR Atosa USA, Inc. Model MBF8507GR

Atosa Refrigerator, reach-in, two-section, 54-2/5"W x 31-7/10"D x 83-1/10"H, bottommount self-contained refrigeration, 46.77 cu. ft., (2) locking hinged solid doors, digital temperature control, 33° to 40°F temperature range, (6) adjustable shelves, interior LED lighting, automatic evaporation, air defrost, stainless steel interior & exterior, galvanized steel back, 4" casters, R290 Hydrocarbon refrigerant, 1/5 HP, 115v/60/1-ph, 3.2 amps, cord with NEMA 5-15P, cETLus, ETL-Sanitation, ENERGY STAR®

REACH-IN FREEZER Atosa USA, Inc. Model MBF8503GR

Atosa Freezer, reach-in, two-section, 54-2/5"W x 31-7/10"D x 83-1/10"H, bottom-mount selfcontained refrigeration, 44.77 cu. ft., (2) locking hinged solid doors, digital temperature control, -8° to 0°F temperature range, (6) adjustable shelves, interior LED lighting, automatic evaporation, electric defrost, stainless steel interior & exterior, galvanized steel back, 4" casters, R290 Hydrocarbon refrigerant, 3/4 HP, 115v/60/1-ph, 8.6 amps, cord with NEMA 5-15P, cETLus, ETL-Sanitation, **ENERGY STAR®**

\$4,164.00 ea



MEGA TOP SANDWICH / SALAD PREPARATION REFRIGERATOR Blue Air FSE LLC \$3,348.71 ea Model BLMT48-HC

Mega Top Sandwich Prep Table, two-section, 48-3/8"W, 13.1 cu. ft. capacity, rear-mounted self-contained refrigeration, (18) 1/6 size pan capacity (included), (2) self-closing swing doors, (2) adjustable wire shelves, 9-1/2' cutting board, side rail cutting board bracket, 33° F to 39° F temperature range, insulated pan cover with stainless steel divider, stainless steel interior & exterior, (4) 4" swivel casters (2 braked), R290 Hydrocarbon refrigerant, 1/4 HP, 115v/60/1-ph, 4.7 amps, cord with NEMA 5-15P, cETLus, ETL-Sanitation



SANDWICH / SALAD PREPARATION REFRIGERATOR Blue Air FSE LLC \$2,678.39 ea Model BLPT36-HC

Sandwich Prep Table, two-section, 36-3/8"W, 9.5 cu. ft. capacity, rear-mounted selfcontained refrigeration, (10) 1/6 size pan capacity (included), (2) self-closing swing doors, (2) adjustable wire shelves, 9-1/2" cutting board, side rail cutting board bracket, 33° F to 39° F temperature range, insulated pan cover with stainless steel divider, digital controls, stainless steel interior & exterior, (4) 4" swivel casters (2 braked), R290 Hydrocarbon refrigerant, 1/4 HP, 115v/60/1ph, 4.1 amps, cord with NEMA 5-15P, cETLus, **ETL-Sanitation**



\$3,249.00 ea







\$2,826.00 ea

\$2,332.00 ea

\$7,500.00 ea

SANDWICH / SALAD PREPARATION REFRIGERATOR Blue Air FSE LLC \$2,861.33 ea Model BLPT48-HC

Sandwich Prep Table, two-section, 48-3/8"W, 13.1 cu. ft. capacity, rear-mounted selfcontained refrigeration, (12) 1/6 size pan capacity (included), (2) self-closing swing doors, (2) adjustable wire shelves, 9-1/2" cutting board, side rail cutting board bracket, 33° F to 39° F temperature range, insulated pan cover with stainless steel interior & exterior, (4) 4" swivel casters (2 braked), R290 Hydrocarbon refrigerant, 1/4 HP, 115v/60/1ph, 4.5 amps, cord with NEMA 5-15P, cETLus, ETL-Sanitation



SANDWICH / SALAD PREPARATION REFRIGERATOR Blue Air FSE LLC \$3,294.11 ea Model BLPT60-HC

Sandwich Prep Table, two-section, 60-3/8"W, 16.7 cu. ft. capacity, rear-mounted selfcontained refrigeration, (16) 1/6 size pan capacity (included), (2) self-closing swing doors, (2) adjustable wire shelves, 9-1/2" cutting board, side rail cutting board bracket, 33° F to 39° F temperature range, insulated pan cover with stainless steel divider, digital controls, stainless steel interior & exterior, (4) 4" swivel casters (2 braked), R290 Hydrocarbon refrigerant, 1/4 HP, 115v/60/1ph, 4.7 amps, cord with NEMA 5-15P, cETLus, ETL-Sanitation



ICE MAKER, CUBE-STYLE Koolaire Model KYT0700A

Ice Kube Machine, cube style, aircooled, self-contained condenser, 30" W, production capacity up to 740 lb/24 hours at 70°/50° (580 lb AHRI certified at 90°/70°), one-touch cleaning, water shield, smudge & fingerprint resistant, Alpha San antimicrobial protection, stainless like finish, half-dice size cubes, R410a refrigerant, NSF, cULus, CE, ENERGY STAR® (replaces KY-0600A) (contact factory for availability)

CONVECTION OVEN, ELECTRIC Royal Range of California Model RECO-1

Convection Oven, electric, singledeck, standard depth, accommodates full size sheet pans, electric thermostat adjustable from 150-500°F, (5) chrome plated racks standard with (11) positions, porcelain coated interior, dual stainless steel doors with glass viewing window on right, stainless steel front, sides & top, 9.0kW, cCSAus, CSA-Sanitation, Made in USA



\$6,417.00 ea

\$5,208.23 ea



To Order Contact: Jim Sorensen - jimsorensen@ulfoods.com



SANDWICH / SALAD PREPARATION REFRIGERATOR Blue Air FSE LLC \$3,852.72 ea Model BLPT72-HC

Sandwich Prep Table, three-section, 72-3/8"W, 20.2 cu. ft. capacity, rear-mounted selfcontained refrigeration, (18) 1/6 size pan capacity (included), (3) self-closing swing doors, (3) adjustable wire shelves, 9-1/2" cutting board, side rail cutting board bracket, 33° F to 39° F temperature range, insulated pan cover with stainless steel interior & exterior, (4) 4" swivel casters (2 braked), R290 Hydrocarbon refrigerant, 1/4 HP, 115v/60/1ph, 5.3 amps, cord with NEMA 5-15P, cETLus,

ETL-Sanitation





CAN'T STOP, WON'T STOP

