



October Equipment Flyer

MEAT SLICER
Berkel
Model B12-SLC

\$1,399.00 ea

(REPLACES 827E & 827A) Slicer, manual, angled gravity feed, up to 9/16" slice thickness, 12" diameter hollow ground chromium-plated, carbon steel knife and built-in sharpener, on/off switch with power light indicator, stainless steel and sanitary anodized aluminum finish, 1/2 HP, 115v/60/1-ph, 4.0 amps, NEMA 5-15P, cETLus, NSF



GAS FLOOR FRYER
Blue Air FSE LLC
Model BLF3-LPG

\$1,208.00 ea

Deep Fryer, 40 lbs capacity, three tube burner, 200°F to 400°F temp range, LPG (15-1/2"W x 32-7/8"D x 45"H), 90,000 BTU/H



GAS FLOOR FRYER
Blue Air FSE LLC
Model BLF3-NG

\$1,208.00 ea

Deep Fryer, 40 lbs capacity, three tube burner, 200°F to 400°F tempe range, natural gas (15-1/2"W x 32-7/8"D x 45"H), 90,000 BTU/H



REACH-IN FREEZER
True Mfg. - General Foodservice
Model T-49F-HC

\$6,680.10 ea

Freezer, reach-in, two-section, -10°F, (2) stainless steel doors, (6) PVC coated adjustable wire shelves, interior lighting, stainless steel front, aluminum sides, aluminum interior with stainless steel floor, 4" castors, R290 Hydrocarbon refrigerant, 1 HP, 115v/60/1-ph, 9.6 amps, NEMA 5-15P, Made in USA, cULus, UL EPH Classified, ENERGY STAR®



REACH-IN REFRIGERATOR
True Mfg. - General Foodservice
Model T-49-HC

\$5,070.45 ea

Refrigerator, reach-in, two-section, (2) stainless steel doors, (6) PVC coated adjustable wire shelves, interior lighting, stainless steel front, aluminum sides, aluminum interior with stainless steel floor, 4" castors, R290 Hydrocarbon refrigerant, 1/2 HP, 115v/60/1-ph, 5.4 amps, NEMA 5-15P, cULus, UL EPH Classified, Made in USA, ENERGY STAR®



ICE CREAM NOVELTY MERCHANDISER
Blue Air FSE LLC
Model BCF56-HC

\$1,657.50 ea

Ice Cream Merchandiser/Chest Freezer, 56-1/8"W x 29-5/8"D x 33-1/8"H, bottom mounted self-contained refrigeration, 17.66 cu. ft., digital temperature controls, temperature range -10°F ~ -0°F, (2) locking sliding tempered glass doors, (4) epoxy coated white baskets, LED interior lighting, manual defrosting, drain hole, painted galvanized exterior, aluminum interior, casters, R290 Hydrocarbon refrigerant, 1/2 HP, 115v/60/1-ph, 2.4 amps, cord with NEMA 5-20P, cETLus, ETL-Sanitization



CABINET, COOK / HOLD / OVEN
Alto-Shaam
Model 1000-TH/II

\$6,760.80 ea

Halo Heat® Slo Cook & Hold Oven, electric, low-temperature, 120 lb. capacity each - (8) full-size sheet pans, (3) stainless steel wire shelves, simple controls with ON/OFF power switch, heavy-duty stainless steel construction, 3-1/2" casters; 2 rigid, 2 swivel with brakes, EcoSmart®, cULus, NSF, CE, IPX3, TUV NORD, EAC, N11942



REFRIGERATED MERCHANDISER
Blue Air FSE LLC
Model BKGM23B-HC

\$2,622.00 ea

Refrigerated Merchandiser, one-section, 23 Cu. Ft. capacity, bottom-mount self-contained refrigeration, (1) double pane hinged glass door (locking), (4) adjustable epoxy coated wire shelves, LED interior lighting, backlit graphic panel, digital monitoring system, black painted steel exterior and trim, white painted steel interior, (4) 2-1/2" casters (2 braked), R290 Hydrocarbon refrigerant, 1/7 HP, 115v/60/1-ph, 2.1 amps, cord, NEMA 5-15P, cETLus, ETL-Sanitation



REFRIGERATED MERCHANDISER
Blue Air FSE LLC
Model BKGM48SLB-HC

\$3,761.00 ea

Refrigerated Merchandiser, one-section, 44.85 Cu. Ft. capacity, bottom-mount self-contained refrigeration, (2) double pane sliding glass doors (locking), (8) adjustable epoxy coated wire shelves, LED interior lighting, backlit graphic panel, digital monitoring system, black painted steel exterior and trim, white painted steel interior, (4) 2-1/2" casters (2 braked), R290 Hydrocarbon refrigerant, 1/4 HP, 115v/60/1-ph, 4.2 amps, cord, NEMA 5-15P, cETLus, ETL-Sanitation



REFRIGERATED MERCHANDISER
Blue Air FSE LLC
Model BKGM49B-HC

\$3,761.00 ea

Refrigerated Merchandiser, two-section, 49 Cu. Ft. capacity, bottom-mount self-contained refrigeration, (2) double pane hinged glass doors (locking), (8) adjustable epoxy coated wire shelves, LED interior lighting, backlit graphic panel, digital monitoring system, black painted steel exterior and trim, white painted steel interior, (4) 2-1/2" casters (2 braked), R290 Hydrocarbon refrigerant, 1/7 HP, 115v/60/1-ph, 3.2 amps, cord, NEMA 5-15P, cETLus, ETL-Sanitation



CONVECTION OVEN, GAS
Duke Manufacturing
Model E101-G

\$4,689.00 ea

Convection Oven, gas, single-deck, standard depth, thermostatic controls, with 26" high legs, stainless steel front, painted cabinet, NSF, CSA STAR, CSA FLAME, ENERGY STAR®



PLANETARY MIXER
Eurodib USA
Model M20ETL

\$1,493.75 ea

Planetary Mixer, 20 quart capacity, with #12 hub meat grinder, 3 speeds, gear driven, stainless steel bowl, whip, hook & beater, painted cast iron base, 1-1/2 HP, 1100 watt, 110v/60/1-ph, 9 amps, NEMA 5-15P, cETLus (not recommended for pizza, pita dough or any equivalent product)



FOOD PACKAGING MACHINE
Eurodib USA
Model DIABLO 12

\$1,273.75 ea

Diablo Vacuum Packaging Machine, electric, countertop unit, 13.8"W x 11.8"D x 3"H chamber, 12" sealing bar, 8 m³/h pump speed, (1) time based program with marinating function, stainless steel, 950 watts, 120v/60/1-ph, 7.9 amps, cord, NEMA 5-15P, cETLus



PIZZA PREPARATION REFRIGERATOR
Blue Air FSE LLC
Model BAPP67-HC

\$4,953.39 ea

Pizza Prep Table, two-section, 67"W, 20.2 cu. ft. capacity, side-mounted self-contained refrigeration, (2) full doors, (4) adjustable wire shelves, accommodates (9) 1/3 size pans, insulated pan cover with stainless steel divider, 33°-39°F temperature range, 19"D cutting board, stainless steel interior & exterior, 4"H swivel casters (2 braked), R290 Hydrocarbon refrigerant, 3/8 HP, 115v/60/1-ph, 3.5 amps, cord, NEMA 5-15P, cUL, UL, ETL-Sanitation



REACH-IN REFRIGERATOR
Blue Air FSE LLC
Model BSR49-HC

\$3,853.98 ea

Refrigerator, reach-in, two-section, 49 cu. ft. capacity, bottom-mount self-contained refrigeration, (2) full-size self-closing solid doors (locking), metal door handles, door open alarm, (8) adjustable wire shelves, digital controls, LED interior lighting, stainless steel interior & exterior, 4" swivel casters (2 braked), R290 Hydrocarbon refrigerant, 1/4 HP, 115v/60/1-ph, 2.4 amps, cord with NEMA 5-15P, cETLus, ETL-Sanitation, ENERGY STAR®



REACH-IN FREEZER
Blue Air FSE LLC
Model BSF49-HC

\$4,936.95 ea

Freezer, reach-in, two-section, 49 cu. ft. capacity, bottom-mount self-contained refrigeration, (2) full-size solid self-closing doors (locking), metal door handles, door open alarm, (8) adjustable wire shelves, digital controls, LED interior lighting, stainless steel interior & exterior, 4" swivel casters (2 braked), R290 Hydrocarbon refrigerant, 1/2 HP, 115v/60/1-ph, 6.6 amps, cord with NEMA 5-15P, cETLus, ETL-Sanitation, ENERGY STAR®



REACH-IN REFRIGERATOR
Atosa USA, Inc.
Model MBF8505GR

\$2,332.00 ea

Atosa Refrigerator, reach-in, one-section, 27"W x 31-7/10"D x 83-1/10"H, bottom-mount self-contained refrigeration, 19.1 cu. ft., (1) locking right hinged solid door, digital temperature control, 33° to 40°F temperature range, (3) adjustable shelves, interior LED lighting, automatic evaporation, air defrost, stainless steel interior & exterior, galvanized steel back, 4" casters, R290 Hydrocarbon refrigerant, 1/7 HP, 115v/60/1-ph, 2.1 amps, cord with NEMA 5-15P, cETLus, ETL-Sanitation, ENERGY STAR®



SANDWICH / SALAD PREPARATION REFRIGERATOR
Blue Air FSE LLC
Model BLPT28-HC

\$2,008.23 ea

Sandwich Prep Table, one-section, 27-1/2"W, 7.0 cu. ft. capacity, rear-mounted self-contained refrigeration, (6) 1/6 & (2) 1/9 size pan capacity (included), (1) self-closing swing door, (1) adjustable wire shelf, 9-1/2" cutting board, side rail cutting board bracket, 33° F to 39° F temperature range, insulated pan cover with stainless steel divider, digital controls, stainless steel interior & exterior, (4) 4" swivel casters (2 braked), R290 Hydrocarbon refrigerant, 1/4 HP, 115v/60/1-ph, 4.0 amps, cord with NEMA 5-15P, cETLus, ETL-Sanitation



SANDWICH / SALAD PREPARATION REFRIGERATOR
Blue Air FSE LLC
Model BLPT36-HC

\$2,678.39 ea

Sandwich Prep Table, two-section, 36-3/8"W, 9.5 cu. ft. capacity, rear-mounted self-contained refrigeration, (10) 1/6 size pan capacity (included), (2) self-closing swing doors, (2) adjustable wire shelves, 9-1/2" cutting board, side rail cutting board bracket, 33° F to 39° F temperature range, insulated pan cover with stainless steel divider, digital controls, stainless steel interior & exterior, (4) 4" swivel casters (2 braked), R290 Hydrocarbon refrigerant, 1/4 HP, 115v/60/1-ph, 4.1 amps, cord with NEMA 5-15P, cETLus, ETL-Sanitation



SANDWICH / SALAD PREPARATION REFRIGERATOR
Blue Air FSE LLC
Model BLPT60-HC

\$3,294.11 ea

Sandwich Prep Table, two-section, 60-3/8"W, 16.7 cu. ft. capacity, rear-mounted self-contained refrigeration, (16) 1/6 size pan capacity (included), (2) self-closing swing doors, (2) adjustable wire shelves, 9-1/2" cutting board, side rail cutting board bracket, 33° F to 39° F temperature range, insulated pan cover with stainless steel divider, digital controls, stainless steel interior & exterior, (4) 4" swivel casters (2 braked), R290 Hydrocarbon refrigerant, 1/4 HP, 115v/60/1-ph, 4.7 amps, cord with NEMA 5-15P, cETLus, ETL-Sanitation



SANDWICH / SALAD PREPARATION REFRIGERATOR
Blue Air FSE LLC
Model BLPT72-HC

\$3,852.72 ea

Sandwich Prep Table, three-section, 72-3/8"W, 20.2 cu. ft. capacity, rear-mounted self-contained refrigeration, (18) 1/6 size pan capacity (included), (3) self-closing swing doors, (3) adjustable wire shelves, 9-1/2" cutting board, side rail cutting board bracket, 33° F to 39° F temperature range, insulated pan cover with stainless steel divider, digital controls, stainless steel interior & exterior, (4) 4" swivel casters (2 braked), R290 Hydrocarbon refrigerant, 1/4 HP, 115v/60/1-ph, 5.3 amps, cord with NEMA 5-15P, cETLus, ETL-Sanitation



• FAMILY-OWNED AND OPERATED •
UPPER LAKES FOODS
EST 1967

To Order Contact:
Jim Sorensen - jimsorensen@ulfoods.com