

WORK TABLE, STAINLESS STEEL TOP BK Resources Model VTTR5OB-4830

Work Table, 48"W x 30"D, 18/430 stainless steel top, with turndown edges on front & sides, reinforced with channels, 5" backsplash, open base with galvanized side & rear bracing, 1-5/8" dia. galvanized legs, adjustable high impact corrosion resistant



\$283.14 ea

GLASSWASHER, UNDERCOUNTER / UNDERBAR American Dish Service Model ASQII

\$5,924.00 ea

Glasswasher, under bar, carousel type, manual turn carousel with hot water rinse, 72 second time cycle, (34) racks/hour, 1/3 HP (wash pump), 1/6 HP (drain pump), (3) product built-in chemical dispensing, sustained tank heat, includes built-on dump sink, 115v/60/1-ph, 7.5 amps



FOOD PACKAGING MACHINE Eurodib USA Model DIABLO 12

feet, ships KD, NSF

Diablo Vacuum Packaging Machine, electric, countertop unit, 13.8"W x 11.8"D x 3"H chamber, 12" sealing bar, 8 m³h pump speed, (1) time based program with marinating function, stainless steel, 950 watts, 120v/60/1-ph, 7.9 amps, cord, NEMA 5-15P, cETLus



\$8,690.00 ea

\$1,120.90 ea NUGGET ICE MAKER
Blue Air FSE LLC
Model BLDN-280A

Ice Maker & Water Dispenser, nugget Cube, 282 lbs production per 24 hrs, 10 lbs storage, aircooled, digital self diagnostic system, stainless steel cabinet and evaporator, 16"W x 24"D x 35"H (without leg) or 39"H (with 4" leg), R290 hydrocarbon refrigerant, 115v/60/1-ph, cord & plug, cULus, ETL Sanitation

\$3,971.54 ea



RANGE, 60", 2 OPEN BURNERS, 48" GRIDDLE American Range Model AR-48G-2B

Restaurant Range, gas, 60", (1) 48" griddle on left, 1" thick plate, manual controls, (2) 32,000 BTU open burners, (2) 26-1/2" standard ovens, (2) racks each oven, stainless steel front, sides, choice of high shelf and riser, 20" riser or 6" stub back, 6" adjustable chrome plated legs, 63.0kW, 214,000 BTU, cETLus, ETL-

Sanitation, Made in USA



REACH-IN FREEZER Blue Air FSE LLC Model BSF49-HC

Freezer, reach-in, two-section, 49 cu. ft. capacity, bottom-mount self-contained refrigeration, (2) full-size solid self-closing doors (locking), metal door handles, door open alarm, (8) adjustable wire shelves, digital controls, LED interior lighting, stainless steel interior & exterior, 4" swivel casters (2 braked), R290 Hydrocarbon refrigerant, 1/2 HP, 115v/60/1-ph, 6.6 amps, cord with NEMA 5-15P, cETLus, ETL-Sanitation, ENERGY STAR®

\$4,705.56 ea



WORK TABLE, STAINLESS STEEL TOP BK Resources Model VTTR5-4824

\$248.00 ea

FOOD PAN WARMER/COOKER, COUNTERTOP Nemco Food Equipment Model 6102A

\$298.50 ea

Work Table, 48"W x 24"D, 18/430 stainless steel top, with turndown edges on front & sides, reinforced with channels, 5" backsplash, adjustable galvanized undershelf, 1-5/8" dia. galvanized legs, adjustable high-impact corrosionresistant feet, NSF




Countertop Round Cooker/Warmer, 7 quart, stainless steel construction, adjustable thermostat, 120v/60/1ph, 1050 watts, 8.8 amps, 6 ft. cord, NEMA 5-15P, cETLus, NSF



REACH-IN REFRIGERATOR Blue Air FSE LLC Model BSR49-HC

Refrigerator, reach-in, two-section, 49 cu. ft. capacity, bottom-mount self-contained refrigeration, (2) full-size self-closing solid doors (locking), metal door handles, door open alarm, (8) adjustable wire shelves, digital controls, LED interior lighting, stainless steel interior & exterior, 4" swivel casters (2 braked), R290 Hydrocarbon refrigerant, 1/4 HP, 115v/60/1-ph, 2.4 amps, cord with NEMA 5-15P, cETLus, ETL-Sanitation, ENERGY STAR®



CONVECTION OVEN, ELECTRIC Atosa USA, Inc. Model CTCO-25

\$361.50 ea



\$1.437.74 ea

CookRite Convection Oven, electric, counter top, 18-3/4"W x 19-3/4"D x 15"H, stainless steel exterior & interior, doors with double pane thermal tempered glass, (3) removable 13-7/10"W x 11"D wire chrome racks, interior lighting, manual controls, 1-1/10"H legs, 1440 watts, 120v/60/1-ph, 12 amps, NEMA L5-15P, cETLus, ETL-Sanitation



ICE CREAM NOVELTY MERCHANDISER Blue Air FSE LLC Model BCF56-HC

Ice Cream Merchandiser/Chest Freezer, 56-5/8"W x 30"D x 33"H, bottom mounted self-contained refrigeration, 17.66 cu. ft., digital temperature controls, temperature range -10°F ~ -0°F, (2) locking sliding tempered glass doors, (4) epoxy coated wire baskets, interior LED lighting, manual defrosting, drain hole, painted galvanized exterior, aluminum interior, casters, R290 Hydrocarbon refrigerant, 1/2 HP, 115v/60/1-ph, 2.4 amps, cord with NEMA 5-20P, CETLus, ETL-Sanitation



DISHWASHER, UNDERCOUNTER CMA Dishmachines Model 180UC 3 W/DISPENSERS

\$6.602.00 ea

Dishwasher, undercounter, 24"W x 25"D x 33-1/4"H, high temperature sanitizing with built-in booster heater, factory installed detergent & rinse pump, (28) racks/hour, 14.5" door clearance, 2 minute timer, deliming system, stainless steel wash pump, built- in wash tank heater, stainless steel filters, auto fill feature, pumped drain, upper & lower stainless steel rotating wash & rinse arms, LED temp display, stainless steel construction, adjustable feet, uses 20" x 20" dish racks, includes (2) dish racks NSF, UL, cULus, ENERGY STAR®



SANDWICH / SALAD PREPARATION REFRIGERATOR Blue Air FSE LLC Model BLPT36-HC \$2,356.63 ea

Sandwich Prep Table, two-section, 36-3/8"W, 9.5 cu. ft. capacity, rear-mounted self-contained refrigeration, (10) 1/6 size pan capacity (included), (2) self-closing swing doors, (2) adjustable wire shelves, 9-1/2" cutting board, side rail cutting board bracket, 33° F to 39° F temperature range, insulated pan cover with stainless steel divider, digital controls, stainless steel interior & exterior, (4) 4" swivel casters (2 braked), R290 Hydrocarbon refrigerant, 1/4 HP, 115v/60/1-ph, 4.1 amps, cord with NEMA 5-15P, cETLus, ETL-Sanitation



DISHWASHER, DOOR TYPE CMA Dishmachines Model E-AH-EXT

ETL-Sanitation, cULus

Energy Mizer® Dishwasher, door type, 25-3/4" W, low temperature chemical sanitizing, top mounted controls, straight-thru design, (40) racks/hour, external sump, Poly Pro™ scrap accumulator, auto start/stop, stainless steel construction, 20-1/2" door clearance, 1 HP wash pump,





PIZZA PREPARATION REFRIGERATOR Blue Air FSE LLC Model BAPP44-HC

\$3,216.72 ea

GAS FLOOR FRYER Blue Air FSE LLC Model BLF3-LPG

\$906.25 ea

Pizza Prep Table, one-section, 44-3/8"W, 11.3 cu. ft. capacity, side-mounted selfcontained refrigeration, (1) door, (2) adjustable wire shelves, accommodates (6) 1/3 size pans, insulated pan cover with stainless steel divider, 33°-39°F temperature range, 19"D cutting board, stainless steel interior & exterior, 4"H swivel casters (2 braked), R290 Hydrocarbon refrigerant, 3/8 HP, 115v/60/1-ph, 3.5 amps, cord, NEMA 5-15P, cUL, UL, ETL-Sanitation



Deep Fryer, 40 lbs capacity, three tube burner, 200°F to 400°F temp range, LPG (15-1/2"W x 32-7/8"D x 45"H), 90,000 BTU/H



PIZZA PREPARATION REFRIGERATOR **Blue Air FSE LLC Model BAPP67-HC**

\$4,665.84 ea

GAS FLOOR FRYER Blue Air FSE LLC Model BLF3-NG

\$906.25 ea

Pizza Prep Table, two-section, 67"W, 20.2 cu. ft. capacity, side-mounted selfcontained refrigeration, (2) full doors, (4) adjustable wire shelves, accommodates (9) 1/3 size pans, insulated pan cover with stainless steel divider, 33°-39°F temperature range, 19"D cutting board, stainless steel interior & exterior, 4"H swivel casters (2 braked), R290 Hydrocarbon refrigerant, 3/8 HP, 115v/60/1-ph, 3.5 amps, cord, NEMA 5-15P, cUL, UL, ETL-Sanitation



Deep Fryer, 40 lbs capacity, three tube burner, 200°F to 400°F tempe range, natural gas (15-1/2"W x 32-7/8"D x 45"H), 90.000 BTU/H



MEGA TOP SANDWICH / SALAD PREPARATION REFRIGERATOR Blue Air FSE LLC \$2,253.49 ea

Model BLMT28-HC Mega Top Sandwich Prep Table, one-section,



CONVECTION OVEN, GAS Duke Manufacturing Model E101-G

\$4,500.00 ea

Convection Oven, gas, singledeck, standard depth, thermostatic controls, with 26" high legs, stainless steel front, painted cabinet, NSF, CSA STAR, CSA FLAME (contact factory for price)



SANDWICH / SALAD PREPARATION REFRIGERATOR **Blue Air FSE LLC Model BLPT60-HC**

\$2,898.34 ea

\$4,574.69 ea

Sandwich Prep Table, two-section, 60-3/8"W, 16.7 cu. ft. capacity, rear-mounted selfcontained refrigeration, (16) 1/6 size pan capacity (included), (2) self-closing swing doors, (2) adjustable wire shelves, 9-1/2' cutting board, side rail cutting board bracket, $33^{\circ}\,\text{F}$ to $39^{\circ}\,\text{F}$ temperature range, insulated pan cover with stainless steel divider, digital controls, stainless steel interior & exterior, (4) 4" swivel casters (2 braked), R290 Hydrocarbon refrigerant, 1/4 HP, 115v/60/1ph, 4.7 amps, cord with NEMA 5-15P, cETLus, ETL-Sanitation

ETL-Sanitation



REACH-IN REFRIGERATOR Blue Air FSE LLC Model BSR49G-HC

Refrigerator, reach-in, two-section, 49 cu. ft. capacity, bottom-mount self-contained refrigeration, (2) fullsize self-closing glass doors (locking), door open alarm, (8) adjustable wire shelves, digital controls, LED interior lighting, stainless steel interior & exterior, 4" swivel casters (2 braked), R290 Hydrocarbon refrigerant, 1/2 HP, 115v/60/1-ph, 5.6 amps, cord with NEMA 5-15P, cETLus, ETL-Sanitation



GRIDDLE, GAS, COUNTERTOP Royal Range of California Model RDSA-48

\$6,490.00 ea

\$1,080.00 ea

GRIDDLE, GAS, COUNTERTOP Royal Range of California Model RDSA-36

\$5,390.00 ea

\$6,956.98 ea

\$5,160.14 ea

Delux Series, Griddle, countertop, gas, 48" W cooking surface, 1" thick polished steel griddle plate, (4) burners with solid state snap action thermostat, 4" grease trough, stainless steel sides & front valve cover, all welded frame with 1,200° mineral wool insulation, 120,000 BTU, cCSAus, CSA-Sanitation, Made in USA



Delux Series, Griddle, countertop, gas, 36" W cooking surface, 1" thick polished steel griddle plate, (3) burners with solid state snap action thermostat, 4" grease trough, stainless steel sides & front valve cover, all welded frame with 1,200° mineral wool insulation, 4" legs, 90,000 BTU, cCSAus, CSA-Sanitation, Made in USA



GRIDDLE, GAS, COUNTERTOP Royal Range of California Model RMG-24

Griddle, countertop, gas, 24" W cooking surface, 3/4" thick polished steel griddle plate, manual controls, 4" grease trough, stainless steel splashguards, sides & front valve cover, 4" legs, 60,000 BTU, cCSAus, CSA-Sanitation,



REACH-IN FREEZER True Mfg. - General Foodservice Model T-49F-HC

Freezer, reach-in, two-section, -10°F, (2) stainless steel doors, (6) PVC coated adjustable wire shelves, interior lighting, stainless steel front, aluminum sides, aluminum interior with stainless steel floor, 4" castors, R290 Hydrocarbon refrigerant, 1 HP, 115v/60/1-ph, 9.6 amps, NEMA 5-15P, Made in USA, cULus, UL EPH Classified, ENERGY STAR®



PANINI GRILL Eurodib USA Model SFE02345-240

Made in USA

Panini Machine, single, ribbed top & bottom, 14" x 10" heavy duty cast iron cooking plate, (1) adjustable thermostat up to 572°F, removable grease tray, non-slip feet, stainless steel construction, 240v/60/1-ph, 2400 watt, 10 amps, NEMA 6-15P, NSF, cULus



\$348.00 ea PIZZA PREPARATION REFRIGERATOR True Mfg. - General Foodservice Model TPP-AT-60-HC

Pizza Prep, 33 - 41°F pan rail, stainless steel cover, 19-1/2"D cutting board, (2) full doors, (4) PVC coated adjustable wire shelves, includes: (8) 1/3 size clear polycarbonate insert pans (top), stainless steel front, top & sides, aluminum interior with stainless steel floor, front breathing, R290 Hydrocarbon refrigerant, 1/4 HP, 115v/60/1-ph, 3.9 amps, NEMA 5-15P, UL

EPH Classified, cULus, CE, Made in USA



CONVECTION OVEN, GAS Royal Range of California Model RCOS-1

Convection Oven, gas, single-deck, standard depth, thermostatic controls, temp range 150°F - 500°F, electronic ignition, 2-speed fan, (2) burners, (2) interior lights, (5) chrome plated racks with (11) positions, pressure regulator included, porcelain interior, dual stainless steel doors with glass viewing window on right, stainless steel front, sides & top, legs, 1/2 HP, 70,000 BTU, cCSAus, CSA-Sanitation, Made in USA, ENERGY STAR®





DRAFT BEER COOLER Blue Air FSE LLC Model BDD23-1B-HC

Keg Cooler, 23-3/8"W, side-mounted self-contained refrigeration, stainless steel top, (1) locking door with recessed handle, (1) 1/2 barrel capacity, (1) 3" dia. stainless steel insulated beer column with single faucet, interior LED lighting, automatic defrost, galvanized steel interior with stainless steel floor, black laminated exterior, R290 Hydrocarbon refrigerant, 1/4 HP, 3.0 amps, 115v/60/1-ph, NEMA 5-15P, cUL, UL, ETL-Sanitation





Work Top Freezer, two-section, 60"W, 16.5 cu. ft. capacity, backsplash, (2) doors, stainless steel construction



Spectrum™ Conveyor Toaster,
horizontal, 14-5/8"L x 16-9/16"W x
16-3/8"H, (300) slices/hour, 2-1/2"H
opening x 10-3/8"W belt (2 slice),
variable conveyor speed,
independent/dual heating, hold
mode, removable crumb tray,
stainless steel cool-touch exterior,
adjustable legs with non-skid feet,
120v/60, 1.8 kW, 15 amps, NEMA 515P, cETLus, ETL-Sanitation (Qty
Break = 1 each)



SOUP KETTLE Winco Model ESW-66

Soup Warmer, electric, 10 qt., 13-3/16" dia. x 15"H, adjustable heat control, stainless steel hinged nodrip lid, removable 18/10 stainless steel bain marie inner pot, double wall construction, with magnetic label holder & assortment of preprinted soup labels, black, 120v/60/1-ph, 3.3 amp, 400 watts, ETL-Sanitation, cETLus (Qty Break = 1 each)



